

$$00A0\;\; 2203 \exists\; 2200 \forall\; 2286 \subseteq 2713x\; 27FA \Longleftrightarrow 221A \diagup 221B \diagdown 2295 \oplus 2297 \otimes$$

Google

May 29, 2022

Contents

1	Google	1
2	C++	3
2.1	0.	3
2.2	1.	4
2.3	2.	8
2.4	3.	12
2.5	4.	18
2.6	5. Google	21
2.7	6. C++	22
2.8	7.	37
2.9	8.	41
2.10	9.	47
2.11	10.	61
2.12	11.	62
3	Objective-C	63
3.1	Google Objective-C Style Guide	63
3.2		66
3.3		70
3.4		73
3.5	Cocoa Objective-C	75
3.6	Cocoa	83
4	Python	85
4.1		85
4.2		85
4.3	Python	86
4.4	Python	98
4.5		117
5	Shell	119
5.1		119
5.2		119
5.3	Shell	120
5.4		120
5.5		121

5.6	122
5.7	127
5.8	130
5.9	132
5.10	133
6 Javascript	-															135
6.1	135
6.2 Javascript	135
6.3 Javascript	144
7 TypeScript																179
7.1	179
7.2	180
7.3	185
7.4	202
7.5	207
7.6	214

CHAPTER 1

Google

- ReadTheDocs
- GitHub zh-google-styleguide
 - release

Note:

Google

Google Google Style Guide

“ ” “ camelCase ” “ ” “ ”

Google

Google

:

1. Google C++
2. Google Objective-C
3. Google Python
4. Google JavaScript
5. Google Shell
6. Google JSON
7. Google TypeScript

reStructuredText Sphinx HTML / CHM / PDF

- cpplint — google-c-style.el Google Emacs
- JavaScript Style Guide XML Document Format Style Guide Yang.Y

CHAPTER 2

C++ -

Contents

- C++ -

2.1 0.

4.45

Benjy Weinberger
Craig Silverstein
Gregory Eitzmann
Mark Mentovai
Tashana Landray

YuleFox
Yang.Y
acgtyrant
lilinsanity

- Google Style Guide
- Google -

2.1.1 0.1

Google , Google , Google , Google .
 :
 . , , . , , , .
 Google , 5 , . . , , , .
 , , , , , , , Google , , , , , .
 , .
 , , bug . , .
 , Artistic License/GPL .
 :

- 2015-08 : @lilinsanity Google CPP Style Guide 4.45
- 2015-07 4.45 : acgtyrant C++ C++ C++11 Google C++ Primer
C++ innocentim, farseerfc Arch Linux
- 2009-06 3.133 : YuleFox 1.0 , , .
Yang.Y YuleFox , : Google - .
3.133 , , , . Yang.Y , YuleFox .
- 2008-07 1.0 : YuleFox Blog, .

2.1.2 0.2

C++ Google . C++ , C++ , , bug,
 C++ . , C++ .
 , , C++ . “ ” , .

 C++ . C++ . , . , , , , .
 Google .
 : C++ , C++ .

2.2 1.

.cc .h . , main() .cc .

2.2.1 1.1. Self-contained

Tip: self-contained, .h .inc -inl.h .

1.2. *#define* symbols.
 self-contained platform-specific .inc
 .h .cc -inl.h -inl.h
 .cc

2.2.2 1.2. #define

Tip: #define , : <PROJECT>_<PATH>_<FILE>_H_ .

, . , foo foo/src/bar/baz.h :

```
#ifndef FOO_BAR_BAZ_H_
#define FOO_BAR_BAZ_H_
...
#endif // FOO_BAR_BAZ_H_
```

2.2.3 1.3.

Tip: #include

forward declaration .

- #include
- #include
-
- API.
- std:: symbol
- #include #include

```
// b.h:
struct B {};
struct D : B {};

// good_user.cc:
#include "b.h"
```

(continues on next page)

(continued from previous page)

```
void f(B*);  
void f(void*);  
void test(D* x) { f(x); } // calls f(B*)
```

- #include B D test() f(void*).
 - symbol include
 - .
 - .
 - #include.
 - #include.
- 1.5. #include

2.2.4 1.4.

Tip: 10

:
, ,
:
, , , , ,
:
, , , , , ,
:
, 10 . , , , !
: switch (, switch).
, ; . , . YuleFox : , , ,).
, , , ,

2.2.5 1.5. #include

Tip: , : , C , C++ , .h, .h.

, UNIX .() ..(). , google-awesome-project/src/base/logging.h :

```
#include "base/logging.h"
```


, dir/foo.cc dir/foo_test.cc dir2/foo2.h , foo.cc :
1. dir2/foo2.h (,)

2. C

3. C++

4. .h

5. .h

```
dir2/foo2.h      dir/foo.cc  dir/foo_test.cc
dir/foo.cc  dir2/foo2.h      ( base/basictypes_unittest.cc  base/basictypes.h),
.

(symbols)      include      (forward declarations)
h,          bar.h,    foo.h      bar.h      symbol.      cc
                           cc           cc       foo.cc   foo.h
                           ,           ,
```

, google-awesome-project/src/foo/internal/fooserver.cc :

```
#include "foo/public/fooserver.h" //

#include <sys/types.h>
#include <unistd.h>

#include <hash_map>
#include <vector>

#include "base/basictypes.h"
#include "base/commandlineflags.h"
#include "foo/public/bar.h"
```

system-specific conditional includes includes

```
#include "foo/public/fooserver.h"

#include "base/port.h" // For LANG_CXX11.

#ifndef LANG_CXX11
#include <initializer_list>
#endif // LANG_CXX11
```

2.2.6 (YuleFox)

1. ;

2. ;

3. ;

4. -inl.h (:D);

5. (,);

6. . . , , , , “ ” (:D) , , , ,

2.2.7 acgttyrant

1. #includes .inc
2. Google -inl.h
3. incomplete type
4. .cc
5. #include , C , C++ , .h .h

2.3 2.

2.3.1 2.1.

Tip: .cc static . , . using using-directive inline namespace

:

, , .

:

(YuleFox :), .

, Foo, . , project1::Foo project2::Foo .

```
namespace X {
    inline namespace Y {
        void foo();
    } // namespace Y
} // namespace X
```

X::Y::foo() X::foo() ABI

:

,

C++ (One Definition Rule (ODR)).

:

•

•

• , gflags / , , :

```
// .h
namespace mynamespace {

// 
// 
class MyClass {
public:
...
void Foo();
};

} // namespace mynamespace
```

```
// .cc
namespace mynamespace {

// 
void MyClass::Foo() {
...
}

} // namespace mynamespace
```

.cc , , gflags using

```
#include "a.h"

DEFINE_FLAG(bool, someflag, false, "dummy flag");

namespace a {

...code for a...           //

} // namespace a
```

- std , . std , . . . , .
- *using*

```
// --
using namespace foo;
```

- API

```
// .cc
namespace baz = ::foo::bar::baz;
```

```
// .h
namespace librarian {
namespace impl { //
namespace sidetable = ::pipeline_diagnostics::sidetable;
} // namespace impl
```

(continues on next page)


```
namespace myproject {
class FooBar {
public:
    static void Function1();
    static void Function2();
};
} // namespace myproject
```

, ; . , . .
, .cc , 2.1. static (static int Foo() {...}) .

2.3.4 2.4.

Tip:

C++

```
int i;
i = f(); // --
```

```
int j = g(); // --
```

```
vector<int> v;
v.push_back(1); //
v.push_back(2);
```

```
vector<int> v = {1, 2}; // --v
```

if, while for :

```
while (const char* p = strchr(str, '/')) str = p + 1;
```

Warning:

```
//
for (int i = 0; i < 1000000; ++i) {
    Foo f; // 1000000 !
    f.DoSomething(i);
}
```

:

```
Foo f; // 1
for (int i = 0; i < 1000000; ++i) {
    f.DoSomething(i);
}
```

2.3.5 2.5.

Tip: POD POD

bug **constexpr**
(POD : Plain Old Data): int, char float, POD
C++ bug. POD **getenv()** **getpid()**

Note: Xris :

(unspecified behaviour)

main() exit()
string
quick_exit() exit() atexit() handlers. quick_exit()
handler log _at_quick_exit(). exit() quick_exit() handler,
POD vector (C) string (const char [])
class main() pthread_once() raw

Note: Yang.Y :

, : , , , .

2.3.6 (YuleFox)

1. cc , , using ;
2. , , public;
3. , , , ;
4. () class (STL), bug.
5. , , , , / .

2.3.7 acgyrant

1. using using-directive using using-declaration
2. C static C++
3. locality
- 4.

2.4 3.

C++ . , . .

2.4.1 3.1.

,

•

• const ,

•

• , , , ,

• () () ,

• , , , , bool IsValid() ,

• , , ,

• , , , , Init()

, . . . (non-trivial) , . . . Init() . Avoid Init() methods on objects with no other states that affect which public methods may be called ().

2.4.2 3.2.

,

• explicit .

() () , , int double .

, . . , (operator bool()). , ()

explicit (C++11) , , , cast. , C++11 :

```
class Foo {
    explicit Foo(int x, double y);
    ...
};

void Func(Foo f);
```

:

```
Func({42, 3.14}); // Error
```

,

• , , ,

```
• .  
• , .  
  
• . , , ,  
• , , ,  
• .  
• explicit , , , explicit .  
• , .  
• , , , .  
  
, explicit . , explicit,  
explicit. std::initializer_list explicit, ( MyType m = {1, 2});.
```

2.4.3 3.3.

```
, / . , .  
  
, , , , string .  
, ( ). std::unique_ptr<int> . ,  
/ . , .  
  
API , API , , , , , , , , ,  
/ , Clone(), CopyFrom() or Swap(), , , = default. ,  
, , , ,  
  
, , , . (Registerer), (Cleanup), (Mutex) . / ,  
,  
, , , , , , ,  
  
/ . , , , , , , , , , , ( )  
, , , ,  
/ , , , , / .
```

```
class Foo {  
public:  
    Foo(Foo&& other) : field_(other.field) {}
```

(continues on next page)

(continued from previous page)

```
// , , .
private:
    Field field_;
};

, / ( ). , public virtual Clone() protected
/ , public = delete .

// MyClass is neither copyable nor movable.
MyClass(const MyClass&) = delete;
MyClass& operator=(const MyClass&) = delete;
```

2.4.4 3.4. VS.

```
struct, class.

C++ struct class . , ,
struct , , , , , , , Initialize(), Reset(), Validate()
,
, class . , class.

STL , class struct.

:
```

2.4.5 3.5.

```
(YuleFox : GoF <<Design Patterns>> ) . , public .

, . C++ , : , ; , .

, , , , , , API. API , .

, , , , , , public . ,
. . “ ” (“is-a”, YuleFox : “has-a” ) : Bar “ ” Foo, Bar Foo.
, virtual. ,
, protected . ,
```

, override, () final . (C++11) virtual . , , override,
final virtual . override final , , . , , , , .

2.4.6 3.6.

. . . ; Interface .

(), .

, , , .

, . . , Interface .

, Windows .

2.4.7 3.7.

, Interface ().

- , . :
- (”=0”) ().
- .
- . . , , protected.
- , Interface .
, . . , (1 ,). Stroustrup *The C++ Programming Language, 3rd edition* 12.4 .

Interface , Java , .

Interface , . . .

, Interface , , Interface .

2.4.8 3.8.

```

C++      operator      ,      . operator      operator""      ,      , operator
bool().  

  

      ,      .      (  ==, <, =, <<),      ,  

      ,  

•      ,      ,      ,      ,      Bug.  

•      ,  

•      ,  

•      ,  

•      grep      ,      C++      .  

•      ,      . : foo < bar      ,      &foo < &bar  

•      . ,      &      ,      .      &&, || ,  

•      ,      ,      .      ,      ,  

•      C++      .  

  

      ,      . , |      ,      shell      .  

      ,      . , .cc      .      ,      ,  

      ,      . ,      <,      ,      , < >      true.  

      . ,      . ,      a < b      b < a      ,  

      . ,      ==, =, <<      Equals(), CopyFrom()      PrintTo().      ,  

std::set ,      <.      &&, ||, ,      &.      operator"" ,  

      . =      . ,      <<      . ,  


```

2.4.9 3.9.

private, static const (). Google Test protected.

2.4.10 3.10.

, public .

```
public: , protected:, private: .  
, , : ( typedef, using ), , , , , , .  
,
```

2.4.11 (YuleFox)

```
1. ;  
2. , , , ;  
3. , explicit;  
4. , , private ;  
5. struct;  
6. > > > , virtual , ;  
7. , , , ;  
8. Interface , , , , , , , , protected;  
9. , , , ;  
10. ;  
11. : public -> protected -> private;  
12. , , ;
```

2.5 4.

2.5.1 4.1.

```
C++ / .  
C/C++ , , . const , / . std::optional  
const /  
const const const .  
. , , , , .  
. / ( ) . , , .
```

2.5.2 4.2.

, .

```
, . . . . . 40 , . . . . .
, , , , bug. , . .
, . . : / , , .
```

2.5.3 4.3.

const.

C , , , int foo(int *pval). C++ , : int foo(int &val).

(*pval)++ .

,

, const:

```
void Foo(const string &in, string *out);
```

Google Code : const , . const , const , , swap().
, const T* const T& . :
• .
• .
, const T&. const T* . const T*, , .

2.5.4 4.4.

, ,

const string& , const char* :

```
class MyClass {
public:
void Analyze(const string &text);
void Analyze(const char *text, size_t textlen);
};
```

, . . . , .

(acgttyrant), C++ , . , , .

```
, . . , AppendString() AppendInt() , Append().  
std::vector
```

2.5.5 4.5.

```
, . . , . . ,  
, . . , , , “ ” “ ”.  
,  
,  
, . . ,  
,  
,  
, . . , . ( , void f(int n = counter++); .)  
,
```

2.5.6 4.6.

()

C++ . . . :

```
int foo(int x);
```

C++11 . . auto , . . :

```
auto foo(int x) -> int;
```

. . int , . . , , , .

Lambda . . , Lambda . . , . . , .

, , , . . :

```
template <class T, class U> auto add(T t, U u) -> decltype(t + u);
```

:

```
template <class T, class U> decltype(declval<T&>() + declval<U&>()) add(T t, U u);
```

, C Java , .
, . , . , .
, , . (Lambda) , , .
.

2.6 5. Google

Google / C++ , C++

2.6.1 5.1.

```
>  
,
```

>

```
,
```

>

```
,
```

>

```
*
```

* -> , , . std::unique_ptr C++11 , , ;
std::unique_ptr , . std::unique_ptr , move std::shared_ptr , , ;
,

>

- , .
- , , .
- " " , .
- , , .
- , , .
- const , , .

>

- , . , API , , , .
- , .
- API , .
- , .
- std::unique_ptr C++11 move , , .
- , , .
- , .
- (), .
- .

```
> , . , , . std::unique_ptr ,  
std::unique_ptr<Foo> FooFactory();  
void FooConsumer(std::unique_ptr<Foo> ptr);  
  
, . , , std::shared_ptr<const Foo> , . ,  
std::shared_ptr .  
std::auto_ptr, std::unique_ptr .
```

2.6.2 5.2. Cpplint

```
>  
cpplint.py .  
>  
cpplint.py , . , , . // NOLINT, // NOLINTNEXTLINE, .  
cpplint.py. , cpplint.py.
```

2.6.3 acgttyrant

1. , .
2. Rust Ownership C++ .
3. scoped_ptr auto_ptr . shared_ptr uniques_ptr .
4. , , , .
5. Arch Linux , AUR cpplint .

2.7 6. C++

2.7.1 6.1.

Tip: const.

```
:  
C , , , int foo(int *pval). C++ , : int foo(int &val).  
:  
(*pval)++ . . , NULL .  
:  
, .  
:  
, const:
```

```
void Foo(const string &in, string *out);
```

Google Code : const , . const , const swap().
 const T* const T&

- null
-

 const T&. const T* const T*,

2.7.2 6.2.

Tip: . std::forward.

```
:
, . , void f(string&& s);
:

( ) . , v1 vector<string>, auto v2(std::move(v1))
,
,
,
,
,
,
,
,
,
,
std::unique_ptr, std::move
:

( C++11 ), . ,
,
,
std::forward . std::move
```

2.7.3 6.3.

Tip: call site

```
:
const string& , const char* :
class MyClass {
public:
  void Analyze(const string &text);
  void Analyze(const char *text, size_t textlen);
};
```

```
:
, . ,
```

```
:  
    acgtyrant           C++  
:  
    ,      AppendString()  AppendInt()      Append().
```

2.7.4 6.4.

Tip:

```
:  
    :  
    :  
    function signature          call  
site   acgtyrant  
:  
    acgtyrant  
.cc
```

```
//  AlphaNum  
string StrCat(const AlphaNum &a,  
              const AlphaNum &b = gEmptyAlphaNum,  
              const AlphaNum &c = gEmptyAlphaNum,  
              const AlphaNum &d = gEmptyAlphaNum);
```

2.7.5 6.5. alloca()

Tip: alloca().

```
:  
    .      alloca()      .  
:  
    alloca()    C++    .    .    ,      bugs: “      ,      ”.  
:  
    allocator    std::vector<T>    std::unique_ptr<T[]>.
```

2.7.6 6.6.

Tip:

```
, . . . FooBuilder Foo , FooBuilder Foo , . . . ,  
( ) . . , public, . . . , . . .
```

2.7.7 6.7.

Tip: C++ .

```
:  
• failures acgtyrant error code, int  
• C++ Python, Java C++  
• C++  
• acgtyrant factory function, C++ Init(), "", "  
•  
:  
• throw f() g(), g() h(), h f g,  
•  
• RAII . . . , , " " . ( ). ,  
•  
•  
:  
• , . . , . . , . . Google C++ ,  
•  
Google , . . , . . , . . , . .  
• , . . Google , . . , . . Google .  
Windows , .  
(YuleFox : , . . , . . C++ , Google , . . , . . )
```

2.7.8 6.8.

TODO

Tip: RTTI.

```
: RTTI      C++ . typeid dynamic_cast .
```

```
: RTTI ( ) . , , .
```

```
RTTI . , . RTTI .
```

```
RTTI . :
```

```
bool Base::Equal(Base* other) = 0;
bool Derived::Equal(Base* other) {
    Derived* that = dynamic_cast<Derived*>(other);
    if (that == NULL)
        return false;
    ...
}
```

```
: RTTI . switch . , .
```

```
RTTI . , . RTTI, . , RTTI . ,
```

```
:
```

```
, , . , , dynamic_cast. , dynamic_cast .
```

```
, . . :
```

```
if (typeid(*data) == typeid(D1)) {
    ...
} else if (typeid(*data) == typeid(D2)) {
    ...
} else if (typeid(*data) == typeid(D3)) {
    ...
}
```

```
, . , , , RTTI . RTTI . , . ,
```

2.7.9 6.9.

Tip: C++ , static_cast<>(). int y = (int)x int y = int(x) ;

C++ C .
:
C ; ((int)3.5), ((int)"hello"). , C++
:
:
C . C++ .
• static_cast C ,
• const_cast const .
• reinterpret_cast
dynamic_cast 6.8.

2.7.10 6.10.

Tip:

:
printf() scanf().
:
, . (gcc printf).
:
pread() . printf , (%.*s . (%1s),
:
, . printf .
, .
:
, . (Only One Way): I/O , I/O . printf
+ read/write. , . , ,
, : : :
cout << this; //
cout << *this; //

<< , . .
printf , . , , ?
cerr << "Error connecting to '" << foo->bar()->hostname.first
 << ":" << foo->bar()->hostname.second << ":" << strerror(errno);
 fprintf(stderr, "Error connecting to '%s:%u: %s",

(continues on next page)

(continued from previous page)

```
foo->bar()->hostname.first, foo->bar()->hostname.second,  
strerror(errno));
```

```
, “ ”, , ? , , .  
, “ ”. , printf + read/write.
```

2.7.11 6.11.

Tip: `(++i) , .`

```
:  
    (++i i++) (–i i–) , ( ).  
:  
    , (++i) (i++) . ( ) i . i , . , ?  
:  
C , , , for . , , (i) (++) .  
:  
( ), . , ( ).
```

2.7.12 6.12. const

Tip: `const. C++11 constexpr`

```
:  
    const ( const int foo ). const ( class Foo { int  
Bar(char c) const; } );  
:  
    . , . , , , , ,  
:  
    const : const , const ( const_cast ), .  
:  
    const , , ; . , const:  
    • , const.  
    • const. const. , const , const const.  
    • , const.  
    , const. const int * const * const x; , x. : const int**  
x .  
    mutable , , .
```

```
const  :
    int const *foo ,  const int* foo,           :  const .      , “ ”
        . const ,       (const)   (int) .
    ,     const .     ! (Yang.Y :         const , , , , .)
```

2.7.13 6.13. constexpr

Tip: C++11 `constexpr`

```
:           constexpr           constexpr,   constexpr
:
constexpr
:
constexpr           constexpr
:
constexpr      C++           constexpr           constexpr      const-
expr
```

2.7.14 6.14.

Tip: C++ , `int.` , `<stdint.h>` , `int16_t.` 2^{31} (2GiB), 64 `int64_t.`
int

```
:           C++ .     short 16 , int 32 , long 32 , long long 64 .
:
:
C++ .
:
<stdint.h>  int16_t, uint32_t, int64_t ,           short, unsigned long long . C
,  int. ,     size_t ptrdiff_t.
,     int, .     int.   int 32 ,     32 .   64 ,  int64_t uint64_t.
,  int64_t.
uint32_t ,     ,     ,     ,     ,     ,
size
acgtyrant integer promotions,  int unsigned int     unsigned int
```

```
:
, , . . , C , bug . :
for (unsigned int i = foo.Length()-1; i >= 0; --i) ...
! gcc bug , . bug . C
, , !

```

2.7.15 6.15. 64

Tip: 64 32 . , , :

- , printf() 32 64 . C99 . , MSVC 7.1 , , (inttypes.h):

```
// printf macros for size_t, in the style of inttypes.h
#ifndef _LP64
#define __PRIS_PREFIX "z"
#else
#define __PRIS_PREFIX
#endif

// Use these macros after a % in a printf format string
// to get correct 32/64 bit behavior, like this:
// size_t size = records.size();
// printf("%"PRIuS"\n", size);
#define PRIIdS __PRIS_PREFIX "d"
#define PRIxS __PRIS_PREFIX "x"
#define PRIuS __PRIS_PREFIX "u"
#define PRIxS __PRIS_PREFIX "X"
#define PRIoS __PRIS_PREFIX "o"
```

void * ()	%lx	%p	
int64_t	%qd, %lld	%"PRIId64"	
uint64_t	%qu, %llu, %llx	%"PRIu64", %"PRIx64"	
size_t	%u	%"PRIuS", %"PRIxS"	C99 %zu
ptrdiff_t	%d	%"PRIIdS"	C99 %zd

- PRI* . , PRI* % . , printf("x = %30PRIuS"\n", x) 32 Linux printf("x = %30" "u" "\n", x), printf("x = %30u\n", x) (Yang.Y : MSVC 6.0 , VC 6.0).
- sizeof(void *) != sizeof(int). intptr_t.
- , (Yang.Y : -). 64 , int64_t/uint64_t / , 8 . 32 64 , . gcc __attribute__((packed)). MSVC #pragma pack() __declspec(aligned)(YuleFox ,).
- 64 LL ULL , :

```
int64_t my_value = 0x123456789LL;
uint64_t my_mask = 3ULL << 48;
```

- 32 64 , #ifdef _LP64 32/64 . (, ,)

2.7.16 6.16.

Tip:

- , , .
- C++ , C . , . const . “ ” . . . , , (#define).
- , () (# , ##). , . ; , :
- .h .
- #define, #undef.
- #undef
- C++ , .
- ##

2.7.17 6.17. 0, nullptr NULL

Tip: 0, 0.0, nullptr NULL, () '\0'.

0, 0.0, .
 (), 0, NULL nullptr. C++11 nullptr; C++03 NULL, C++ NULL
 sizeof(NULL) sizeof(0)
 () '\0', .

2.7.18 6.18. sizeof

Tip: sizeof(varname) sizeof(type).

sizeof(varname) . sizeof(type)

```
Struct data;
Struct data; memset(&data, 0, sizeof(data));
```

Warning:

```
memset(&data, 0, sizeof(Struct));
```

```
if (raw_size < sizeof(int)) {
    LOG(ERROR) << "compressed record not big enough for count: " << raw_size;
    return false;
}
```

2.7.19 6.19. auto

Tip: auto

C++11 auto, auto

```
vector<string> v;
...
auto s1 = v[0]; // v[0]
const auto& s2 = v[0]; // s2 v[0]
```

C++

```
sparse_hash_map<string, int>::iterator iter = m.find(val);
```

```
auto iter = m.find(val);
```

auto

```
diagnostics::ErrorStatus* status = new diagnostics::ErrorStatus("xyz");
```

auto,

```
auto i = x.Lookup(key);
```

x

auto const auto&

auto C++11

```
auto x(3); //
auto y{3}; //
```

—x int, y std::initializer_list<int>. acgttyrant normally-invisible
proxy types, C++ Why is vector<bool> not a STL container?

auto,

—API

auto	auto
auto C++11	trailing return type
	lambda

2.7.20 6.20.

Tip:

C++03 aggregate types

```
struct Point { int x; int y; };
Point p = {1, 2};
```

C++11

```
// Vector
vector<string> v{"foo", "bar"};

// 
// 
vector<string> v = {"foo", "bar"};

// new
auto p = new vector<string>{"foo", "bar"};

// map pair,
map<int, string> m = {{1, "one"}, {2, "2"}};

// 
vector<int> test_function() { return {1, 2, 3}; }

// 
for (int i : {-1, -2, -3}) {}

// 
void TestFunction2(vector<int> v) {}
TestFunction2({1, 2, 3});
```

std::initializer_list<T>

```
class MyType {
public:
    // std::initializer_list init
    //
    MyType(std::initializer_list<int> init_list) {
        for (int i : init_list) append(i);
    }
    MyType& operator=(std::initializer_list<int> init_list) {
        clear();
        for (int i : init_list) append(i);
    }
```

(continues on next page)

(continued from previous page)

```

};

MyType m{2, 3, 5, 7};

        std::initializer_list<T>

double d{1.23};
// MyOtherType    std::initializer_list
//
class MyOtherType {
public:
    explicit MyOtherType(string);
    MyOtherType(int, string);
};

MyOtherType m = {1, "b"};
//      explicit     `= {}` 
MyOtherType m{"b"};

```

auto

Warning:

```
auto d = {1.23};           // d    std::initializer_list<double>
```

```
auto d = double{1.23}; // -- d    double,    std::initializer_list.
```

9.7. .

2.7.21 6.21. Lambda

Tip: lambda lambda

Lambda

```

std::sort(v.begin(), v.end(), [](int x, int y) {
    return Weight(x) < Weight(y);
});
```

C++11 Lambdas, polymorphic wrapper `std::function`.

- STL Lambdas
- Lambdas, `std::functions` `std::bind` general purpose callback mechanism

- Lambdas
- Lambdas

- format lambda
- [=](int x) {return x + n;}, [n](int x) {return x + n;} n
- acgttyrant lambda
- lambd auto.

2.7.22 6.22.

Tip:

- :
- c++, ,
- :
- , Google Test, std::tuple, std::function Boost.Spirit.
- :
- c++, ., ., debug
- : , , , .
- (Visual Assist X, Refactor for C++) , AST
- .
- :
- , ., ., ., , , ,
- , ., SFINAE, sizeof trick , , , , , , ,
- , ., ., ., ., ., , , , , , , , ,

2.7.23 6.23. Boost

Tip: Boost .

- :
- Boost . . . C++ .
- :
- Boost . . . C++
- :
- Boost . . . , . . . , “ ” .
- :
- , Boost :

- Call Traits : `boost/call_traits.hpp`
 - Compressed Pair : `boost/compressed_pair.hpp`
 - <The Boost Graph Library (BGL) : `boost/graph`, except serialization (`adj_list_serialize.hpp`) and parallel/distributed algorithms and data structures(`boost/graph/parallel/*` and `boost/graph/distributed/*`)
 - Property Map : `boost/property_map.hpp`
 - The part of `Iterator` that deals with defining iterators: `boost/iterator/iterator_adaptor.hpp`, `boost/iterator/iterator_facade.hpp`, and `boost/function_output_iterator.hpp`
 - The part of `Polygon` that deals with Voronoi diagram construction and doesn't depend on the rest of Polygon: `boost/polygon/voronoi_builder.hpp`, `boost/polygon/voronoi_diagram.hpp`, and `boost/polygon/voronoi_geometry_type.hpp`
 - Bimap : `boost/bimap`
 - Statistical Distributions and Functions : `boost/math/distributions`
 - Multi-index : `boost/multi_index`
 - Heap : `boost/heap`
 - The flat containers from Container: `boost/container/flat_map`, and `boost/container/flat_set`
- Boost , .
C++ 11
- Pointer Container : `boost/ptr_container`, `std::unique_ptr`
 - Array : `boost/array.hpp`, `std::array`

2.7.24 6.24. C++11

Tip: C++11 C++0x C++11

C++11 ‘ <<https://en.wikipedia.org/wiki/C%2B%2B11>> ‘

C++11 C++ C++

C++11 1300 vs 800

6.23. Boost C++11 —

C++11 C++11

- `auto foo() -> int int foo();`
- `<ratio>`,
- `<cfenv> <fenv.h>`

- lambda

2.7.25 acgttyrant

1. void a() void a(int b = 0), int
- 2.
- 3.
4. friend friend .cc
- 5.
- 6.
7. C++
8. const
- 9.
10. auto
11. Should the trailing return type syntax style become the default for new C++11 programs? auto

2.8 7.

2.8.1 7.1.

```
int price_count_reader; //  
int num_errors; // "num"  
int num_dns_connections; // "DNS"
```

```
int n; // .  
int nerr; // .  
int n_comp_conns; // .  
int wgc_connections; // .  
int pc_reader; // "pc" .  
int cstmr_id; // .
```

, , i T .
:
,

2.8.2 7.2.

```
,      (_ )  (-), . . , “_” .
:
• my_useful_class.cc
• my-useful-class.cc
• myusefulclass.cc
• myusefulclass_test.cc // _unittest _regtest .

C++ .cc , .h . . . .inc , .
/usr/include (Yang.Y : . . . . . ), db.h.
. http_server_logs.h logs.h . . . . . , foo_bar.h foo_bar.cc, FooBar.
.h . . . . . , .h .
```

2.8.3 7.3.

```
, : MyExcitingClass, MyExcitingEnum.
```

```
— , , (typedef), , — , , , . . :
```

```
//
class UrlTable { ... }
class UrlTableTester { ... }
struct UrlTableProperties { ... }

//
typedef hash_map<UrlTableProperties *, string> PropertiesMap;

// using
using PropertiesMap = hash_map<UrlTableProperties *, string>;

//
enum UrlTableErrors { ... }
```

2.8.4 7.4.

```
( ) . . . . . , : a_local_variable, a_struct_data_member,
a_class_data_member_.
```

```
:
string table_name; // - .
string tablename; // - .
string tableName; // -
```

```
, , ,
class TableInfo {
    ...
private:
    string table_name_; // - .
    string tablename_; // .
    static Pool<TableInfo>* pool_; // .
};
```

```
, , , :
struct UrlTableProperties {
    string name;
    int num_entries;
    static Pool<UrlTableProperties>* pool;
};
```

, *vs.* .

2.8.5 7.5.

```
constexpr const , , "k" , . :
const int kDaysInAWeek = 7;
```

(,) . , , . , .

2.8.6 7.6.

```
, : MyExcitingFunction(), MyExcitingMethod(), my_exciting_member_variable(),
set_my_exciting_member_variable().
```

```
,     (" " " "), . . . , ( , StartRpc() StartRPC()).
```

```
AddTableEntry()  
DeleteUrl()  
OpenFileOrDie()
```

```
( . . . , API . . . , . . . , . . . . )  
. . . int count() void set_count(int count).
```

2.8.7 7.7.

```
. . .  
. . .  
. . .  
. . . ,  
. . . ,  
. . . ,  
. . . std . . . (websearch::index,  
websearch::index_util) ( websearch::util).  
internal , internal ( . . . , . . . ). . . , ( frobber.h,  
websearch::index::frobber_internal).
```

2.8.8 7.8.

```
: kEnumName ENUM_NAME.  
  
. . . UrlTableErrors ( AlternateUrlTableErrors) ,  
  
enum UrlTableErrors {  
    kOK = 0,  
    kErrorOutOfMemory,  
    kErrorMalformedInput,  
};  
enum AlternateUrlTableErrors {  
    OK = 0,  
    OUT_OF_MEMORY = 1,  
    MALFORMED_INPUT = 2,  
};
```

```
2009 1 . . . , . . . , . . . , . . . , . . . , . . . , . . .
```

2.8.9 7.9.

```
, ? . . : MY_MACRO_THAT_SCARES_SMALL_CHILDREN.
```

```
; . . . , . . . , . . . :
```

```
#define ROUND(x) ...
#define PI_ROUNDED 3.0
```

2.8.10 7.10.

```
C/C++ , .
bigopen(): , open()
uint: typedef
bigpos: struct class, pos
sparse_hash_map: STL ; STL
LONGLONG_MAX: , INT_MAX
```

2.8.11 acgtyrant

```
1. Google , QueryResult, query_result, ; , , ,
TextQuery::TextQuery(std::string word) : word_(word) {} , word_ .
```

2.9 8.

```
, . . . : , . , , ,
```

2.9.1 8.1.

```
// /* */, .
// /* */ ; // .
```

2.9.2 8.2.

```
, , , , , , , ,
```

.(, Apache 2.0, BSD, LGPL, GPL)

,
.
.h , , , , ,
.h .cc , ,

2.9.3 8.3.

, ,
// Iterates over the contents of a GargantuanTable.
// Example:
// GargantuanTableIterator iter = table->NewIterator();*
// for (iter->Seek("foo"); !iter->done(); iter->Next()) {
// process(iter->key(), iter->value());
// }
// delete iter;
class GargantuanTableIterator {
...
};

, , , , ,
,

(.h .cc), , ,

2.9.4 8.4.

; ,
;
;
;
;
;
;
;

, , (,). (“Opens the file”) (“Open the file”); , ,

,
;
;
• : ,
• : ,
• :

- . .
- , ?
- : .

```
// Returns an iterator for this table. It is the client's
// responsibility to delete the iterator when it is done with it,
// and it must not use the iterator once the GargantuanTable object
// on which the iterator was created has been deleted.
//
// The iterator is initially positioned at the beginning of the table.
//
// This method is equivalent to:
//   Iterator* iter = table->NewIterator();
//   iter->Seek("");
//   return iter;
// If you are going to immediately seek to another place in the
// returned iterator, it will be faster to use NewIterator()
// and avoid the extra seek.
Iterator* GetIterator() const;
```

, . . “ false”, :

```
// Returns true if the table cannot hold any more entries.
bool IsTableFull();
```

, , , . , , ,
 / , / , “ ” . . (,) . . , . .

, . , , , , , ,

.h . , . , .

2.9.5 8.5.

, .
 () . . (, , ,) . . , . . , .
 , NULL -1 , . . :

```
private:
    // Used to bounds-check table accesses. -1 means
    // that we don't yet know how many entries the table has.
    int num_total_entries_;
```

```
// The total number of tests cases that we run through in this regression test.
const int kNumTestCases = 6;
```

2.9.6 8.6.

```
// Divide result by two, taking into account that x
// contains the carry from the add.
for (int i = 0; i < result->size(); i++) {
    x = (x << 8) + (*result)[i];
    (*result)[i] = x >> 1;
    x &= 1;
}
```

```
// If we have enough memory, mmap the data portion too.
mmap_budget = max<int64>(0, mmap_budget - index_->length());
if (mmap_budget >= data_size_ && !MmapData(mmap_chunk_bytes, mlock))
    return; // Error already logged.
```

```
DoSomething();           // Comment here so the comments line up.
DoSomethingElseThatIsLonger(); // Two spaces between the code and the comment.
{ // One space before comment when opening a new scope is allowed,
  // thus the comment lines up with the following comments and code.
  DoSomethingElse(); // Two spaces before line comments normally.
```

(continues on next page)

(continued from previous page)

```

}
std::vector<string> list{
    // Comments in braced lists describe the next element...
    "First item",
    // .. and should be aligned appropriately.
"Second item";
DoSomething(); /* For trailing block comments, one space is fine. */

```

```

// What are these arguments?
const DecimalNumber product = CalculateProduct(values, 7, false, nullptr);

```

```

ProductOptions options;
options.set_precision_decimals(7);
options.set_use_cache(ProductOptions::kDontUseCache);
const DecimalNumber product =
    CalculateProduct(values, options, /*completion_callback=*/nullptr);

```

```

// Find the element in the vector. <-- : !
auto iter = std::find(v.begin(), v.end(), element);
if (iter != v.end()) {
    Process(element);
}

```

```
// Process "element" unless it was already processed.  
auto iter = std::find(v.begin(), v.end(), element);  
if (iter != v.end()) {  
    Process(element);  
}
```

```
:  
  
if (!IsAlreadyProcessed(element)) {  
    Process(element);  
}
```

2.9.7 8.7.

, ; . .
· · , · , , ·
· , · , · , ·
· , · , · , ·

2.9.8 8.8. TODO

, , , TODO .
TODO , TODO, , , bug ID, , TODO issue. () TODO . TODO
, , TODO , .

```
// TODO(kl@gmail.com): Use a "*" here for concatenation operator.  
// TODO(Zeke) change this to use relations.  
// TODO(bug 12345): remove the "Last visitors" feature
```

TODO “ ”, (“Fix by November 2005”), (“Remove this code when all clients can handle XML responses.”).

2.9.9 8.9.

DEPRECATED comments .
DEPRECATED , . , .
DEPRECATED , , .
, . C++ , , .
DEPRECATED , , callsites , .
, . , .

2.9.10 (YuleFox)

1. , C++ coders , C coders ;
2. , ;
3. , , ;
4. Chinese coders , , it is a problem, , ,
5. , . (), UNIX/LINUX tab space, space;
6. TODO , , , , , .

2.10 9.

, , , , , , , , , , ,
, emacs .

2.10.1 9.1.

80.
, , .
. , . , 80 . ?
. 80 60 ; , .
80 .
, 80 , . , URL 80 .
#include 80 .

2.10.2 9.2. ASCII

ASCII , UTF-8 .
, , ASCII . . , , ASCII ; () ASCII
, , — "xEF\xBB\xBF", u8"\uFEFF", Unicode , UTF-8 ,
(Yang.Y : "\xEF\xBB\xBF" UTF-8 with BOM)

u8 uXXXX UTF-8. UTF-8 , UTF-8, .
C++11 char16_t char32_t, UTF-8 , wchar_t , Windows API, wchar_t.

2.10.3 9.3.

, 2 .

2.10.4 9.4.

, , , ,

:

```
ReturnType ClassName::FunctionName(Type par_name1, Type par_name2) {
    DoSomething();
    ...
}
```

, :

```
ReturnType ClassName::ReallyLongFunctionName(Type par_name1, Type par_name2,
                                              Type par_name3) {
    DoSomething();
    ...
}
```

:

```
ReturnType LongClassName::ReallyReallyReallyLongFunctionName(
    Type par_name1, // 4 space indent
    Type par_name2,
    Type par_name3) {
    DoSomething(); // 2 space indent
    ...
}
```

- .
- , .
- , .
- , .
- .

- . .
- . , .
- , .
- .
- .
- 2 .
- 4 .

, , :

```
class Foo {
public:
    Foo(Foo&&);
    Foo(const Foo&);
    Foo& operator=(Foo&&);
    Foo& operator=(const Foo&);
};
```

, :

```
class Shape {
public:
    virtual void Rotate(double radians) = 0;
};

class Circle : public Shape {
public:
    void Rotate(double radians) override;
};

void Circle::Rotate(double /*radians*/) {}
```

```
// - , .
void Circle::Rotate(double) {}
```

, , , , :

```
MUST_USE_RESULT bool IsOK();
```

2.10.5 9.5. Lambda

Lambda ; , .

, & .

```
int x = 0;
auto add_to_x = [&x](int n) { x += n; };
```

lambda .

```
std::set<int> blacklist = {7, 8, 9};
std::vector<int> digits = {3, 9, 1, 8, 4, 7, 1};
digits.erase(std::remove_if(digits.begin(), digits.end(), [&blacklist](int i) {
    return blacklist.find(i) != blacklist.end();
}),
digits.end());
```

2.10.6 9.6.

, , , , , ,

```
bool retval = DoSomething(argument1, argument2, argument3);
```

, , ,

```
bool retval = DoSomething(averyveryveryverylongargument1,
                        argument2, argument3);
```

,

```
if (...) {
    ...
    ...
    if (...) {
        DoSomething(
            argument1, argument2, // 4
            argument3, argument4);
    }
}
```

, , , , , , ,
, , , ,

```
int my_heuristic = scores[x] * y + bases[x];
bool retval = DoSomething(my_heuristic, x, y, z);
```

,

```
bool retval = DoSomething(scores[x] * y + bases[x], // Score heuristic.
                           x, y, z);
```

, , ,
, , ,

```
// 3x3 widget.
my_widget.Transform(x1, x2, x3,
                    y1, y2, y3,
                    z1, z2, z3);
```

2.10.7 9.7.

```
,  
    ,  
    ,  
    , { }  
    ,  
    .
```

```
//  
//  
return {foo, bar};  
functioncall({foo, bar});  
pair<int, int> p{foo, bar};  
  
//  
//  
SomeFunction(  
    {"assume a zero-length name before {}"}, // {  
    some_other_function_parameter);  
SomeType variable{  
    some, other, values,  
    {"assume a zero-length name before {}"}, // {  
    SomeOtherType{  
        "Very long string requiring the surrounding breaks.", // ,  
        some, other values},  
    SomeOtherType{"Slightly shorter string", //  
        some, other, values}};  
SomeType variable{  
    "This is too long to fit all in one line"}; // ,  
MyType m = { // , {  
    superlongvariablename1,  
    superlongvariablename2,  
    {short, interior, list},  
    {interiorwrappinglist,  
     interiorwrappinglist2}};
```

2.10.8 9.8.

```
. if else  
. .  
. . , . , . , . , . , .
```

```

if (condition) { // .
... // 2 .
} else if (...) { // else if
...
} else {
...
}

```

```

:
if ( condition ) { // -
... // 2 .
} else { // else if
...
}

```

```

if . . . :
if(condition) // - IF .
if (condition){ // - { .
if(condition){ // .

```

```

if (condition) { // - IF { .

```

```

, . . . else . :
if (x == kFoo) return new Foo();
if (x == kBar) return new Bar();

```

```

else . :
// - ELSE IF
if (x) DoThis();
else DoThat();

```

```

, , ; . if . :
if (condition)
DoSomething(); // 2 .

if (condition) {
DoSomething(); // 2 .
}
```

```

if-else , . :
// - IF ELSE .
if (condition) {
foo;
} else
bar;

// - ELSE IF .

```

(continues on next page)

(continued from previous page)

```
if (condition)
    foo;
else {
    bar;
}
```

```
//      ,
if (condition) {
    foo;
} else {
    bar;
}
```

2.10.9 9.9.

`switch` , cases . . . {} continue.

`switch` case , . . , .
 case , `switch` default (case , warning). default , assert:

```
switch (var) {
    case 0: { // 2
        ...
        // 4
        break;
    }
    case 1: {
        ...
        break;
    }
    default: {
        assert(false);
    }
}
```

```
,  

for (int i = 0; i < kSomeNumber; ++i)
    printf("I love you\n");

for (int i = 0; i < kSomeNumber; ++i) {
    printf("I take it back\n");
}
```

{ } continue,
`while` (condition) {
 // .
}

(continues on next page)

(continued from previous page)

```
for (int i = 0; i < kSomeNumber; ++i) {} // - .
while (condition) continue; // - continue .
```

```
while (condition); // - while/loop .
```

2.10.10 9.10.

. / (*, &).

:

```
x = *p;
p = &x;
x = r.y;
x = r->y;
```

:

- , .

- * & .

, : .

```
// , .
char *c;
const string &str;

// , .
char* c;
const string& str;
```

```
int x, *y; // - & *
char * c; // - *
const string & str; // - & .
```

, , , .

2.10.11 9.11.

, .

, (&&) : .

```
if (this_one_thing > this_other_thing &&
    a_third_thing == a_fourth_thing &&
    yet_another && last_one) {
...
}
```

, (&&) . Google , . , . , , && ~, and compl.

2.10.12 9.12.

```
return      .

x = expr      return expr;      .

return result;      //      ,
//      ,
.
return (some_long_condition &&
another_condition);
```

```
return (value);      //      var = (value);
return(result);      // return
```

2.10.13 9.13.

=, () {} .

=, () {},

```
int x = 3;
int x(3);
int x{3};
string name("Some Name");
string name = "Some Name";
string name{"Some Name"};
```

```
{...} std::initializer_list      .      std::initializer_list,      ,
std::initializer_list      ,      .
```

```
vector<int> v(100, 1);      //      100   1   .
vector<int> v{100, 1};      //      100   1   .
```

, , .

```
int pi(3.14);      //   - pi == 3.
int pi{3.14};      //   :   .
```

2.10.14 9.14.

```
,  
,  
  
// -  
if (lopsided_score) {  
#if DISASTER_PENDING // -  
    DropEverything();  
# if NOTIFY // - #  
    NotifyClient();  
# endif  
#endif  
    BackToNormal();  
}  
  
// -  
if (lopsided_score) {  
#if DISASTER_PENDING // - "#if"  
    DropEverything();  
#endif // - "#endif"  
    BackToNormal();  
}
```

2.10.15 9.15.

```
public:, protected:, private:, 1 .  
  
( , ) :  
  
class MyClass : public OtherClass {  
public: //  
    MyClass(); //  
    explicit MyClass(int var);  
    ~MyClass() {}  
  
    void SomeFunction();  
    void SomeFunctionThatDoesNothing() {  
    }  
  
    void set_some_var(int var) { some_var_ = var; }  
    int some_var() const { return some_var_; }  
  
private:  
    bool SomeInternalFunction();
```

(continues on next page)

(continued from previous page)

```
int some_var_;
int some_other_var_;
};
```

- 80
- public:, protected:, private: 1
- (public) ,
- .
- public , protected, private.
- .

2.10.16 9.16.

```
:
//      :
MyClass::MyClass(int var) : some_var_(var) {
    DoSomething();
}

//      ,
//      ,   4
MyClass::MyClass(int var)
    : some_var_(var), some_other_var_(var + 1) {
    DoSomething();
}

//      ,
//      :
MyClass::MyClass(int var)
    : some_var_(var),           // 4 space indent
      some_other_var_(var + 1) { // lined up
    DoSomething();
}

//      }      {
//
MyClass::MyClass(int var)
    : some_var_(var) {}
```

2.10.17 9.17.

```
, :  
namespace {  
  
void foo() { // . . .  
...  
}  
  
} // namespace
```

```
:  
namespace {  
  
// , . .  
void foo() {  
...  
}  
  
} // namespace
```

```
, :  
namespace foo {  
namespace bar {  
}
```

2.10.18 9.18.

```
void f(bool b) { // . . .  
...  
int i = 0; // . . .  
// . . .  
// , . .  
int x[] = { 0 };  
int x[] = {0};  
  
// . . .  
class Foo : public Bar {
```

(continues on next page)

(continued from previous page)

```
public:
// ,
//
Foo(int b) : Bar(), baz_(b) {} // , .
void Reset() { baz_ = 0; } // .
...
```

IDE) . , . . , ;). (Yang.Y : , / , ,

```
if (b) { // if .
} else { // else .
}
while (test) {} // .
switch (i) {
for (int i = 0; i < 5; ++i) {
switch (i) { // .
if (test) { // ,
for (int i = 0; i < 5; ++i) {
for ( ; i < 5; ++i) { // ; , ;
switch (i) {
case 1: // switch case .
...
case 2: break; // ,
.
```

```
// .
x = 0;

// ,
//
v = w * x + y / z;
v = w*x + y/z;
v = w * (x + z);

// .
x = -5;
++x;
if (x && !y)
...
```

```
// (< and >) , < , > ( .
vector<string> x;
```

(continues on next page)

(continued from previous page)

```
y = static_cast<char*>(x);  
  
//  
vector<char *> x;
```

2.10.19 9.19.

- , : 2 , , .
- , , , , , .
-
- if-else .

2.10.20 (YuleFox)

```
1. , , , ;  
2. 80 , 22 ;  
3. ASCII , , UTF-8 ( UNIX/Linux , Windows ), , , ;  
4. UNIX/Linux , MSVC Tab ;  
5. , , : , ;  
6. , / / / , , ;  
7. ./-> , */& , , ;  
8. / , / / / / ;  
9. = () , ;  
10. return ();  
11. / , .  
12. UNIX/Linux (.cc , ), , , ; Windows
```

2.10.21 acgtyrant

1. 80 , , .
2. Linux Locale , Windows.
3. Google if-else , , . Apple .
4. , int* a, b vs int *a, b, b int * , , .

5. C++ Alternative operator representations, .
6. Constructer Initializer List Initializer List , .
7. , , . , ; , if (true) true.
8. void return , Google leveldb ; Is a blank return statement at the end of a function whos return type is void necessary? , return; return ; cpplint , , ,

2.11 10.

2.11.1 10.1.

2.11.2 10.2. Windows

Windows , Windows Microsoft . , C++ .

- Windows , :
 - (iNum). Google , .cc .
 - Windows (YuleFox : ,), DWORD, HANDLE . Windows API . , C++ , const TCHAR * LPCTSTR.
 - Microsoft Visual C++ , 3 , (warnings) (errors) .
 - #pragma once; Google . (Yang.Y : #ifndef SRC_DIR_BAR_H_, #define).
 - , , #pragma __declspec. __declspec(dllexport) __declspec(dllexport) , , DLLIMPORT DLLEXPORT,
- , Windows :
 - , COM ATL/WTL . COM ATL/WTL / , .
 - , ATL STL Visual C++ STL) . ATL , _ATL_NO_EXCEPTIONS . STL , , . (STL,).
 - , StdAfx.h precompile.h . , (precompile.cc), /FI .
 - resource.h , .

2.12 11.

```
,      .      ,      .      if      ,      .      (*)      ,      .
,      .      ,      .      ,      ,      ,      ,      ,      ,
,      ;      .      !
```

CHAPTER 3

Objective-C -

3.1 Google Objective-C Style Guide

2.36

Mike Pinkerton
Greg Miller
Dave MacLachlan

ewangke
Yang.Y

- Google Style Guide
- Google -

3.1.1

ewanke

style guide 7 vim HTML "ewangke at gmail.com"
2011.03.27

Yang.Y

Objective-C C/C++
• 2.36

•

3.1.2

Objective-C C		Mac OS X iPhone
Cocoa Mac OS X	Objective-C	Mac OS X
Objective-C Google C++	Objective-C	Google
<ul style="list-style-type: none"> • Apple's Cocoa Coding Guidelines • Google's Open Source C++ Style Guide 		

Note:	Google C++	Objective-C++
--------------	------------	---------------

Mac OS X	Google
Google	Google Toolbox for Mac project
Objective-C	Objective-C

 Objective-C The Objective-C Programming Language

3.1.3

`@interface`

```
// Foo.h
// AwesomeProject
//
// Created by Greg Miller on 6/13/08.
// Copyright 2008 Google, Inc. All rights reserved.
//

#import <Foundation/Foundation.h>

// A sample class demonstrating good Objective-C style. All interfaces,
// categories, and protocols (read: all top-level declarations in a header)
// MUST be commented. Comments must also be adjacent to the object they're
// documenting.
//
// (no blank line between this comment and the interface)
@interface Foo : NSObject {
@private
    NSString *bar_;
    NSString *bam_;
}

// Returns an autoreleased instance of Foo. See -initWithBar: for details
// about /bar|.
+ (id)fooWithBar:(NSString *)bar;
```

(continues on next page)

(continued from previous page)

```
// Designated initializer. /bar/ is a thing that represents a thing that
// does a thing.
- (id)initWithBar:(NSString *)bar;

// Gets and sets /bar_|.
- (NSString *)bar;
- (void)setBar:(NSString *)bar;

// Does some work with /blah/ and returns YES if the work was completed
// successfully, and NO otherwise.
- (BOOL)doWorkWithBlah:(NSString *)blah;

@end
```

<code>@implementation</code>	<code>getters</code> <code>setters</code> <code>init</code> <code>dealloc</code>
------------------------------	--

```
//
//  Foo.m
//  AwesomeProject
//
//  Created by Greg Miller on 6/13/08.
//  Copyright 2008 Google, Inc. All rights reserved.
//

#import "Foo.h"

@implementation Foo

+ (id)fooWithBar:(NSString *)bar {
    return [[[self alloc] initWithBar:bar] autorelease];
}

// Must always override super's designated initializer.
- (id)init {
    return [self initWithBar:nil];
}

- (id)initWithBar:(NSString *)bar {
    if ((self = [super init])) {
        bar_ = [bar copy];
        bam_ = [[NSString alloc] initWithFormat:@"hi %d", 3];
    }
    return self;
}

- (void)dealloc {
    [bar_ release];
    [bam_ release];
    [super dealloc];
}
```

(continues on next page)

(continued from previous page)

```
- (NSString *)bar {
    return bar_;
}

- (void)setBar:(NSString *)bar {
    [bar_ autorelease];
    bar_ = [bar copy];
}

- (BOOL)doWorkWithBlah:(NSString *)blah {
    // ...
    return NO;
}

@end
```

```
@interface @implementation @end      @interface          }
```

3.2

3.2.1 vs.

Tip:

3.2.2

80
Objective-C 80
 80

Xcode > Preferences > Text Editing > Show page guide

3.2.3

Tip:

- / +
-

```
- (void)doSomethingWithString:(NSString *)theString {
    ...
}
```

```
- (void)doSomethingWith:(GTMFoo *)theFoo
    rect:(NSRect)theRect
    interval:(float)theInterval {
    ...
}
```

4

```
- (void)short:(GTMFoo *)theFoo
    longKeyword:(NSRect)theRect
    evenLongerKeyword:(float)theInterval {
    ...
}
```

3.2.4

Tip:

```
[myObject doFooWith:arg1 name:arg2 error:arg3];
```

```
[myObject doFooWith:arg1
    name:arg2
    error:arg3];
```

```
[myObject doFooWith:arg1 name:arg2 // some lines with >1 arg
    error:arg3];

[myObject doFooWith:arg1
    name:arg2 error:arg3];

[myObject doFooWith:arg1
    name:arg2 // aligning keywords instead of colons
    error:arg3];
```

```
[myObj short:arg1  
    longKeyword:arg2  
    evenLongerKeyword:arg3];
```

3.2.5 @public @private

Tip: @public @private

C++ public, private protected

```
@interface MyClass : NSObject {  
@public  
    ...  
@private  
    ...  
}  
@end
```

3.2.6

Tip: @ @ {} @catch

Objective-C

```
@try {  
    foo();  
}  
@catch (NSEException *ex) {  
    bar(ex);  
}  
@finally {  
    baz();  
}
```

3.2.7

Tip:

```
@interface MyProtocolledClass : NSObject<NSWindowDelegate> {  
@private  
    id<MyFancyDelegate> delegate_;  
}
```

(continues on next page)

(continued from previous page)

```
- (void)setDelegate:(id<MyFancyDelegate>)aDelegate;
@end
```

3.2.8

Tip: block target/selector

4

-
-
- 4
- 20
- ~{ ~(~) {
-

```
// The entire block fits on one line.
[operation setCompletionBlock:^{
    [self onOperationDone];
}];

// The block can be put on a new line, indented four spaces, with the
// closing brace aligned with the first character of the line on which
// block was declared.
[operation setCompletionBlock:^{
    [self.delegate newDataAvailable];
}];

// Using a block with a C API follows the same alignment and spacing
// rules as with Objective-C.
dispatch_async(fileIOQueue_, ^{
    NSString* path = [self sessionFilePath];
    if (path) {
        // ...
    }
});

// An example where the parameter wraps and the block declaration fits
// on the same line. Note the spacing of (^)(SessionWindow *window) {
// compared to |~{| above.
[[SessionService sharedService]
    loadWindowWithCompletionBlock:^(SessionWindow *window) {
        if (window) {
            [self windowDidLoad:window];
        } else {
            [self errorLoadingWindow];
        }
}];
```

(continues on next page)

(continued from previous page)

```
// An example where the parameter wraps and the block declaration does
// not fit on the same line as the name.
[[SessionService sharedService]
    loadWindowWithCompletionBlock:
    ^(SessionWindow *window) {
        if (window) {
            [self windowDidLoad:window];
        } else {
            [self errorLoadingWindow];
        }
    }];
}

// Large blocks can be declared out-of-line.
void (^largeBlock)(void) = ^{
    // ...
};

[operationQueue_ addOperationWithBlock:largeBlock];
```

3.3

Objective-C

Objective-C	Objective-C	naming rules	C++
()	Objective-C		Google
		URL TIFF EXIF	C++
Objective-C++	C++ API	Objective-C Cocoa	C++
/	@implementation	Objective-C	C++
			C++

3.3.1

Tip:

—

.h	C/C++/Objective-C
.m	Objective-C
.mm	Objective-C++
.cc	C++
.c	C

GTMNSString+Utils.h “GTMNSTextView+Autocomplete.h“

3.3.2 Objective-C++

Tip: Objective-C++ /

Cocoa/Objective-C	C++	/	@implementation	Objective-C	C++
C++					

```
// file: cross_platform_header.h

class CrossPlatformAPI {
public:
    ...
    int DoSomethingPlatformSpecific(); // impl on each platform
private:
    int an_instance_var_;
};

// file: mac_implementation.mm
#include "cross_platform_header.h"

// A typical Objective-C class, using Objective-C naming.
@interface MyDelegate : NSObject {
    @private
    int instanceVar_;
    CrossPlatformAPI* backEndObject_;
}
- (void)respondToSomething:(id)something;
@end
@implementation MyDelegate
- (void)respondToSomething:(id)something {
    // bridge from Cocoa through our C++ backend
    instanceVar_ = backEndObject->DoSomethingPlatformSpecific();
    NSString* tempString = [NSString stringWithFormat:int:instanceVar_];
    NSLog(@"%@", tempString);
}
@end

// The platform-specific implementation of the C++ class, using
// C++ naming.
int CrossPlatformAPI::DoSomethingPlatformSpecific() {
    NSString* temp_string = [NSString stringWithFormat:int:an_instance_var_];
    NSLog(@"%@", temp_string);
    return [temp_string intValue];
}
```

3.3.3

Tip:

GTMSendMessage

3.3.4

Tip:

NSString	GTMNSSString+Parsing.h gtm_myCategoryMethodOnAString:	GTMStringParsingAdditions Objective-C
----------	--	--

3.3.5 Objective-C

Tip:

convertPoint:fromRect: replaceCharactersInRange:withString:
Apple's Guide to Naming Methods

get

```
- (id) getDelegate; // AVOID  
- (id) delegate; // GOOD
```

Objective-C C++ C++

3.3.6

Tip: myLocalVariable myInstanceVariable_ Objective-C 2.0
@property KVO/KVC

int

•

```
int w;  
int nerr;  
int nCompConns;  
tix = [[NSMutableArray alloc] init];  
obj = [someObject object];  
p = [network port];
```

•

```
int numErrors;  
int numCompletedConnections;  
tickets = [[NSMutableArray alloc] init];
```

(continues on next page)

(continued from previous page)

```
userInfo = [someObject object];
port = [network port];
```

usernameTextField_	Objective-C 2.0	KVO/KVC	KVO=Key
Value Observing KVC=Key Value Coding	/	Objective-C 2.0 @property	
@synthesize			

k kInvalidHandle kWrtiePerm

3.4

C++

3.4.1

Tip: /

-
-
- Copyright 2008 Google Inc.
- Apache 2.0, BSD, LGPL, GPL

3.4.2

Tip:

```
// A delegate for NSApplication to handle notifications about app
// launch and shutdown. Owned by the main app controller.
@interface MyAppDelegate : NSObject {
    ...
}
```

“ ”

3.4.3

Tip: |

count

```
// Sometimes we need |count| to be less than zero.
```

```
// Remember to call |StringWithoutSpaces("foo bar baz")|
```

3.4.4

Tip: Objective-C

NSObject	retained	weak	__weak	retained	retain	@property
Mac	IBOutlets	retained				
CoreFoundation	C++	Objective-C		retained	__strong	__weak
CoreFoundation	Objective-C			__weak	clang	C++
Objective-C	C++					

```
@interface MyDelegate : NSObject {
@private
    IBOutlet NSButton *okButton_; // normal NSControl; implicitly weak on Mac only

    AnObjcObject* doohickey_; // my doohickey
    __weak MyObjcParent *parent_; // so we can send msgs back (owns me)

    // non-NSObject pointers...
    __strong CWackyCPPClass *wacky_; // some cross-platform object
    __strong CFDictionaryRef *dict_;
}
```

(continues on next page)

(continued from previous page)

```
@property(strong, nonatomic) NSString *doohickey;
@property(weak, nonatomic) NSString *parent;
@end
```

- retained - retained

3.5 Cocoa Objective-C

3.5.1 @private

Tip: @private

```
@interface MyClass : NSObject {
    @private
        id myInstanceVariable_;
}
// public accessors, setter takes ownership
- (id)myInstanceVariable;
- (void)setMyInstanceVariable:(id)theVar;
@end
```

3.5.2

Tip:

3.5.3

Tip: init...

bug

3.5.4 NSObject

Tip: NSObject @implementation

init... copyWithZone: dealloc init... copyWithZone: dealloc

3.5.5

Tip: init 0 nil

0 isa NSObject isa 0 nil

3.5.6 +new

Tip: NSObject new alloc init

Objective-C alloc init retain new

3.5.7 API

Tip: “kitchen-sink” API

C++ Objective-C - Objective-C API

```
// GTMFoo.m
#import "GTMFoo.h"

@interface GTMFoo (PrivateDelegateHandling)
- (NSString *)doSomethingWithDelegate; // Declare private method
@end

@implementation GTMFoo(PrivateDelegateHandling)
...
- (NSString *)doSomethingWithDelegate {
    // Implement this method
}
...
@end
```

Objective-C 2.0 @interface @implementation
Objective-C 2.0 @implementation

```
@interface GMFoo () { ... }

@implementation
“”
Bug

Objective-C @implementation “middle truncation” NSString
```

3.5.8 #import and #include

Tip: `#import Objective-C/Objective-C++ #include C/C++`

```

#import  #include
• Objective-C Objective-C++      #import
• C C++      #include      #define
Objective-C      #define      #import      Objective-C      Objective-C      #import
Objective-C      C C++      C C++      C C++      #import      #include Objective-C
#include
Mac      C C++      #define      Mac      #import      #include
#include

#import <Cocoa/Cocoa.h>
#include <CoreFoundation/CoreFoundation.h>
#import "GTMFoo.h"
#include "base/basicatypes.h"
```

3.5.9

Tip: `#import`

Cocoa Foundation	#import #include Objective-C
------------------	------------------------------

```

#import <Foundation/Foundation.h>      // good
#import <Foundation/NSArray.h>          // avoid
#import <Foundation/NSString.h>
...
```

3.5.10 autorelease

Tip: `autorelease` `release`

```

release      return

// AVOID (unless you have a compelling performance reason)
MyController* controller = [[MyController alloc] init];
// ... code here that might return ...
[controller release];

// BETTER
MyController* controller = [[[MyController alloc] init] autorelease];
```

3.5.11 autorelease retain

Tip: autorelease`` ``retain

“ ” “autorelease retain” autorelease

```
- (void)setFoo:(GMFoo *)aFoo {
    [foo_ autorelease]; // Won't dealloc if /foo_ / == /aFoo/
    foo_ = [aFoo retain];
}
```

3.5.12 init dealloc

Tip: init dealloc

init dealloc ivals

```
- (id)init {
    self = [super init];
    if (self) {
        bar_ = [[NSMutableString alloc] init]; // good
    }
    return self;
}

- (void)dealloc {
    [bar_ release]; // good
    [super dealloc];
}
```

```
- (id)init {
    self = [super init];
    if (self) {
        self.bar = [NSMutableString string]; // avoid
    }
    return self;
}

- (void)dealloc {
    self.bar = nil; // avoid
    [super dealloc];
}
```

3.5.13

Tip: dealloc @interface

```
    dealloc      retained
    dealloc  retained      @interface      dealloc
```

3.5.14 setter NSStrings

Tip: NSString setter copy

```
    retain      NSString      NSMutableString
```

```
- (void)setFoo:(NSString *)aFoo {
    [foo_ autorelease];
    foo_ = [aFoo copy];
}
```

3.5.15

Tip: @throw Objective-C OS

```
-fobjc-exceptions      @synchronized      @throw      @try @catch      @finally
```

```
NS_DURING NS_HANDLER NS_ENDHANDLER NS_VALUERETURN      NS_VOIDRETURN      Mac OS X 10.2
```

Objective-C Objective-C++

```
class exceptiontest {
public:
    exceptiontest() { NSLog(@"Created"); }
    ~exceptiontest() { NSLog(@"Destroyed"); }
};

void foo() {
    exceptiontest a;
    NSError *exception = [NSError exceptionWithName:@"foo"
                                                reason:@"bar"
                                              userInfo:nil];
    @throw exception;
}

int main(int argc, char *argv[]) {
    GMAutoreleasePool pool;
    @try {
        foo();
    }
}
```

(continues on next page)

(continued from previous page)

```

@catch(NSException *ex) {
    NSLog(@"exception raised");
}
return 0;
}

```

smartptr shared_ptr linked_ptr	STL C++	Objective-C++	C++
Objective-C	@try @catch @finally		

3.5.16 nil

Tip: nil

nil	Objective-C	nil	OS X	Apple's documentation
Objective-C				
C/C++	NULL“	C/C++	C/C++	

3.5.17 BOOL

Tip: BOOL BOOL YES

Objective-C	BOOL	BOOL	YES``(1) ``NO``(0)	``BOOL	BOOL
Objective-C	NO	BOOL	YES NO	256	256 512 ...
Objective-C	BOOL _Bool	bool	C++ Std 4.7.4, 4.12	C99 Std 6.3.1.2	BOOL Boolean Boolean
Objective-C					
BOOL	&& !		BOOL		

```

- (BOOL)isBold {
    return [self fontTraits] & NSFontBoldTrait;
}
- (BOOL)isValid {
    return [self stringValue];
}

```

```

- (BOOL)isBold {
    return ([self fontTraits] & NSFontBoldTrait) ? YES : NO;
}
- (BOOL)isValid {
    return [self stringValue] != nil;
}
- (BOOL)isEnabled {

```

(continues on next page)

(continued from previous page)

```
return [self isValid] && [self isBold];
}
```

YES/NO BOOL

```
BOOL great = [foo isGreat];
if (great == YES)
    // ...be great!
```

```
BOOL great = [foo isGreat];
if (great)
    // ...be great!
```

3.5.18 Property

Tip:	Property @property	Property	Objective-C 2.0	iPhone	Mac OS X 10.5 (Leopard)
-------------	-----------------------	----------	-----------------	--------	-------------------------

@synthesize

```
@interface MyClass : NSObject {
    @private
    NSString *name_;
}
@property(copy, nonatomic) NSString *name;
@end

@implementation MyClass
@synthesize name = name_;
@end
```

@implementation

@interface @implementation

```
@interface MyClass : NSObject {
    @private
    NSString *name_;
}
@property(copy, nonatomic) NSString *name;
```

(continues on next page)

(continued from previous page)

```
@end

@implementation MyClass
@synthesize name = name_;
- (id)init {
...
}
@end
```

copy Attribute

```
copy attribute NSString property
NSString setter copy retain
```

```
property          synthesize      setter      getter      get      set      property
nonatomic
```

Objective-C 2.0 set get

```
NSString *oldName = myObject.name;
myObject.name = @"Alice";
```

```
NSArray *array = [[NSArray arrayWithObject:@"hello"] retain];
NSUInteger numberOfRows = array.count; // not a property
array.release; // not a property
```

3.5.19

Tip:

```
@interface MyClass : NSObject // Does a lot of stuff - (void)fooBarBam; @end
```

```
@interface MyClass : NSObject { } // Does a lot of stuff - (void)fooBarBam; @end
```

3.5.20 `synthesize`

Tip: iOS `synthesize`

```
synthesize        @synthesize var = var_;        self.var = blah;        var = blah;
synthesize CFType    CFType        @dynamic        CFType    retain        retain release            getter setter
                      @dynamic
```

```
// Header file
@interface Foo : NSObject
// A guy walks into a bar.
@property(nonatomic, copy) NSString *bar;
@end

// Implementation file
@interface Foo ()
@property(nonatomic, retain) NSArray *baz;
@end

@implementation Foo
@synthesize bar = bar_;
@synthesize baz = baz_;
@end
```

3.6 Cocoa

3.6.1

Tip: `retain`

1. `delegate_`
2. `delegate setDelegate:`
3. `delegate_ retain`

3.6.2 / / MVC

Tip: API `@protocol`

-
- “ ”
- `@protocol API @optional`` Objective-C 1.0 ``@optional`
“ ”

CHAPTER 4

Python -

4.1

2.6

Amit Patel
Antoine Picard
Eugene Jhong
Jeremy Hylton
Matt Smart
Mike Shields

guoqiao v2.19
xuxinkun v2.59
captainfffsama v2.6

- Google Style Guide
- Google -

4.2

Python Google python
Vim Emacs yapf

4.3 Python

4.3.1 Lint

Tip: `pylintrc` `pylint`

```
: pylint  Python  bug . C C++      ( : less dynamic) ,  bug     . Python ,   .
: , , .
: pylint . ,   : a)      b)      c) ,  d) .
:      pylint. ,   . :
dict = 'something awful'  # Bad Idea... pylint: disable=redefined-builtin

pylint  ( empty-docstring ) .google    "g-“ .

pylint --list-msgs  pylint .      pylint --help-msg=C6409 ,
pylint: disable-msg ,      pylint: disable .

del           .      del ,  "Unused" , :
def viking_cafe_order(spam, beans, eggs=None):
    del beans, eggs  # Unused by vikings.
    return spam + spam + spam

‘_’ ,      unused_ ,      - .
```

4.3.2

Tip: , “typing“

```
: .
: .      . x.Obj Obj      x .
: . , .
:

1. import x .
2. from x import y ,  x , y .
3. from x import y as z,      y y .
4. z      import y as z.( np  numpy.)
,  sound.effects.echo :
```

```
from sound.effects import echo
...
echo.EchoFilter(input, output, delay=0.7, atten=4)
```

typing six.moves

4.3.3

Tip:

:
:
:
:
:

yes:

```
#      absl.flags ( ).  
import absl.flags  
from doctor.who import jodie  
  
FLAGS = absl.flags.FLAGS
```

```
#      flags ( ).  
from absl import flags  
from doctor.who import jodie  
  
FLAGS = flags.FLAGS
```

No: (jodie.py doctor/who/)

```
#  
#      .  
#      sys.path.  
import jodie
```

sys.path *sys.path* *import jodie* *jodie* *jodie.py*

4.3.4

Tip:

:
:
:
:
:

1. **ValueError** , assert API . assert
, . . . , assert, raise , :

Yes:

```
def connect_to_next_port(self, minimum):
    """Connects to the next available port.

    Args:
        minimum: A port value greater or equal to 1024.

    Returns:
        The new minimum port.

    Raises:
        ConnectionError: If no available port is found.
    """
    if minimum < 1024:
        # Note that this raising of ValueError is not mentioned in the doc
        # string's "Raises:" section because it is not appropriate to
        # guarantee this specific behavioral reaction to API misuse.
        raise ValueError(f'Min. port must be at least 1024, not {minimum}')
    port = self._find_next_open_port(minimum)
    if not port:
        raise ConnectionError(
            f'Could not connect to service on port {minimum} or higher.')
    assert port >= minimum, (
        f'Unexpected port {port} when minimum was {minimum}.')
    return port
```

No:

```
def connect_to_next_port(self, minimum):
    """Connects to the next available port.

    Args:
        minimum: A port value greater or equal to 1024.

    Returns:
        The new minimum port.
    """
    assert minimum >= 1024, 'Minimum port must be at least 1024.'
    port = self._find_next_open_port(minimum)
    assert port is not None
    return port
```

2. , Exception . Error.

3. except: , Exception StandardError , , (). ,
Python , except: Python . except: bug.

4. try/except . try , . , try/except .

5. finally try . , .

4.3.5

Tip:

```
: . .
: . .
: , .
: . , MAX_HOLY_HANDGRENADE_COUNT = 3. , - . , , - .
: . , ' <>' _
```

4.3.6 / /

Tip:

```
: , . . . ( : , , nonlocal)
: .
: (pickled).
: . , . , , - , .
```

4.3.7 &

Tip:

```
: , & , map(), filter(), lambda( : , () )
: .
: .
: . : , for , . for .
```

Yes:

```
result = [mapping_expr for value in iterable if filter_expr]

result = [{key: value} for value in iterable
          if a_long_filter_expression(value)]

result = [complicated_transform(x)
          for x in iterable if predicate(x)]

descriptive_name = [
    transform({'key': key, 'value': value}, color='black')
    for key, value in generate_iterable(some_input)
    if complicated_condition_is_met(key, value)
]
```

(continues on next page)

(continued from previous page)

```

result = []
for x in range(10):
    for y in range(5):
        if x * y > 10:
            result.append((x, y))

return {x: complicated_transform(x)
        for x in long_generator_function(parameter)
        if x is not None}

squares_generator = (x**2 for x in range(10))

unique_names = {user.name for user in users if user is not None}

eat(jelly.Bean for jelly.Bean in jelly_beans
    if jelly.Bean.color == 'black')

```

No:

```

result = [(x, y) for x in range(10) for y in range(5) if x * y > 10]

return ((x, y, z)
        for x in xrange(5)
        for y in xrange(5)
        if x != y
        for z in xrange(5)
        if y != z)

```

4.3.8

Tip: , . , .

: , , (in not in)
 : , , .
 : (, has_key()) . .
 : , , . . . , . . . , *dict.iter**() python2 .

Yes:

```

for key in adict: ...
if key not in adict: ...
if obj in alist: ...
for line in afile: ...
for k, v in dict.iteritems(): ...

```

No:

```
for key in adict.keys(): ...
if not adict.has_key(key): ...
for line in afile.readlines(): ...
```

4.3.9

Tip:

```
: , (yield) , , , ,
: , , . , ,
: .
: . "Yields:" "Returns:".
( : )
```

4.3.10 Lambda

Tip:

```
: , lambda . map() filter()
:
:
: . . lambda , .
: . 60-80 , ( ) .
operator lambda . , operator.mul , lambda x, y: x * y .
```

4.3.11

Tip:

```
: ( ) if . : x = 1 if cond else 2 .
: if .
: if .
: . ,if ,else . if .
one_line = 'yes' if predicate(value) else 'no'
slightly_split = ('yes' if predicate(value)
                  else 'no, nein, nyet')
the_longest_ternary_style_that_can_be_done = (
    'yes, true, affirmative, confirmed, correct'
    if predicate(value)
    else 'no, false, negative, nay')
```

```
bad_line_breaking = ('yes' if predicate(value) else
                     'no')
portion_too_long = ('yes'
                     if some_long_module.some_long_predicate_function(
                         really_long_variable_name)
                     else 'no, false, negative, nay')
```

4.3.12

Tip:

```
:           , , def foo(a, b = 0): .   foo     , b  0.      , b     .
:           , ( )    .           ,           . , Python     ,     " "
:           .           ,           .           (     ),       .
:   ,   :
```

```
Yes: def foo(a, b=None):
      if b is None:
          b = []
Yes: def foo(a, b: Optional[Sequence] = None):
      if b is None:
          b = []
Yes: def foo(a, b: Sequence =()): # Empty tuple OK since tuples are immutable
```

```
No: def foo(a, b=[]):
...
No: def foo(a, b=time.time()): # The time the module was loaded???
...
No: def foo(a, b=FLAGS.my_thing): # sys.argv has not yet been parsed...
...
No: def foo(a, b: Mapping = {}): # Could still get passed to unchecked code
...
```

4.3.13 (properties)

```
( : fluent python.    "property"    " ",    "attribute"    .
               python        "(arrtribute)",
```

Tip: , , . (properties) .

```
:           . ,     (attribute)   .
:   (attribute)   get set   ,   .   . Pythonic   .   ,   .   . (properties)   .
```

```
: (properties) get set , : set get (properties) ( @property ). object .
. . ( : , @property )
: , . . @property .
, . , ( ).
```

Yes:

```
import math

class Square:
    """A square with two properties: a writable area and a read-only perimeter.

    To use:
    >>> sq = Square(3)
    >>> sq.area
    9
    >>> sq.perimeter
    12
    >>> sq.area = 16
    >>> sq.side
    4
    >>> sq.perimeter
    16
    """

    def __init__(self, side):
        self.side = side

    @property
    def area(self):
        """Area of the square."""
        return self._get_area()

    @area.setter
    def area(self, area):
        return self._set_area(area)

    def _get_area(self):
        """Indirect accessor to calculate the 'area' property."""
        return self.side ** 2

    def _set_area(self, area):
        """Indirect setter to set the 'area' property."""
        self.side = math.sqrt(area)

    @property
    def perimeter(self):
        return self.side * 4
```

(: , , ?)

4.3.14 True/False

Tip: false

: Python false. , " " false. 0 None, [], {}, "" false.
: Python . , .
: C/C++ , .
: false, : if foo: if foo != []: :
1. None , is is not. None . false! (: is id(),
 , CPython , id)
2. == false . if not x: . false None, if not x and x is not None: .
3. (, ,), false. if not seq: if seq: if len(seq): if not len(seq): .
4. , false (None 0). (len()) 0 .

Yes:

```
if not users:  
    print('no users')  
  
if foo == 0:  
    self.handle_zero()  
  
if i % 10 == 0:  
    self.handle_multiple_of_ten()  
  
def f(x=None):  
    if x is None:  
        x = []
```

No:

```
if len(users) == 0:  
    print 'no users'  
  
if foo is not None and not foo:  
    self.handle_zero()  
  
if not i % 10:  
    self.handle_multiple_of_ten()  
  
def f(x=None):  
    x = x or []
```

5. '0'() true.

4.3.15

Tip: . apply(). , for filter(), map(), reduce().

```
: Python . .
: Python , .
Yes: words = foo.split(':')

[x[1] for x in my_list if x[2] == 5]

map(math.sqrt, data)      # Ok. No inlined lambda expression.

fn(*args, **kwargs)
```

```
No: words = string.split(foo, ':')

map(lambda x: x[1], filter(lambda x: x[2] == 5, my_list))

apply(fn, args, kwargs)
```

4.3.16 (Lexical Scoping)

Tip:

```
: Python , . , . Python , . global ,
```

:

```
def get_adder(summand1):
    """Returns a function that adds numbers to a given number."""
    def adder(summand2):
        return summand1 + summand2

    return adder
```

```
( : , : sum = get_adder(summand1)(summand2) )
: , . Lisp Scheme( Haskell, ML ) .
: bug. PEP-0227 :
```

```
i = 4
def foo(x):
    def bar():
        print i,
    # ...
    # A bunch of code here
    # ...
    for i in x: # Ah, i *is* local to Foo, so this is what Bar sees
        print i,
    bar()
```

```
foo([1, 2, 3]) 1 2 3 3, 1 2 3 4 .
( : x , for x i. i , foo i , bar() . C++ .)
```

:

4.3.17

Tip: , , staticmethod`` ``classmethod.

```
:      ( @ ).      @classmethod @staticmethod, . , . , my_decorator ,  
:  


```
class C(object):
 @my_decorator
 def method(self):
 # method body ...
```



```
class C(object):
 def method(self):
 # method body ...
 method = my_decorator(method)
```

  
: . , (enforce invariants), .  
: , . , .  
: , . . python .  
    ( , socket, ), ( pydoc ).  
    ” ”. Main .  
    API staticmethod .  
    classmethod .
```

4.3.18

Tip:

```
Python , ( : __hash__ __eq__ Python ) . ( ).  
Queue Queue . , threading (locking primitives). , threading.Condition
```

4.3.19

Tip:

```
: Python , , (metaclasses), , (on-the-fly compilation), , (object reparenting),  
    (import hacks), , (modification of system internals), .  
:  
,
```

```
: """ , . . ( ), , .
:
abc.ABCMeta, collection.namedtuple, dataclasses, "enum" .
```

4.3.20 python: python3 from __future__ imports

Tip: python3, python3 . . .

```
: python3 python , python2.7 , python3 .
: , python3 .
:
: from __future__ imports
    from __future__ import , , :
        from __future__ import absolute_import
        from __future__ import division
        from __future__ import print_function

    absolute imports , division behavior, print function
    python3 , . , , .
    unicode_literals , , python2.7 . .
        from __future__ b u unicode .
six,future,past

python2 python3 , six , future , past .
```

4.3.21

Tip: PEP-484 python3 , pytype . . . , pyi . . . , pyi .

```
: :
def func(a: int) -> List[int]:
    PEP-526 :
a: SomeType = some_func()

    python :
a = some_func() #type: SomeType

:
:
:
    python . API , pytype . python , ( ) . ,
TODO ,
( : IDE vim )
```

4.4 Python

4.4.1

Tip:

4.4.2

Tip: 80

:

- 1.
2. URL,
3. url

```
1. Pylint . "# pylint: disable=invalid-name  
with
```

Python , , , ,

```
Yes: foo_bar(self, width, height, color='black', design=None, x='foo',  
            emphasis=None, highlight=0)  
  
    if (width == 0 and height == 0 and  
        color == 'red' and emphasis == 'strong'):
```

```
, :  
  
x = ('This will build a very long long '  
     'long long long long long string')
```

URL

```
Yes: # See details at  
      # http://www.example.com/us/developer/documentation/api/content/v2.0/csv_file_name_  
      ↪extension_full_specification.html
```

```
No: # See details at  
    # http://www.example.com/us/developer/documentation/api/content/\  
    # v2.0/csv_file_name_extension_full_specification.html
```

with . with.

```
Yes: with very_long_first_expression_function() as spam, \  
      very_long_second_expression_function() as beans, \  
      third_thing() as eggs:  
        place_order(eggs, beans, spam, beans)
```

```
No:  with VeryLongFirstExpressionFunction() as spam, \
      VeryLongSecondExpressionFunction() as beans:
          PlaceOrder(eggs, beans, spam, beans)
```

```
Yes: with very_long_first_expression_function() as spam:
      with very_long_second_expression_function() as beans:
          place_order(beans, spam)
```

; . . .
80 yapf 80 .

4.4.3

Tip:

```
, . .
Yes: if foo:
      bar()
      while x:
          x = bar()
      if x and y:
          bar()
      if not x:
          bar()
# For a 1 item tuple the ()s are more visually obvious than the comma.
onesie = (foo,)
return foo
return spam, beans
return (spam, beans)
for (x, y) in dict.items(): ...
```

```
No: if (x):
      bar()
if not(x):
      bar()
return (foo)
```

4.4.4

Tip: 4

tab, tab . . . , (), 4 ():

```
Yes: # Aligned with opening delimiter
     foo = long_function_name(var_one, var_two,
                               var_three, var_four)
```

(continues on next page)

(continued from previous page)

```
# Aligned with opening delimiter in a dictionary
foo = {
    long_dictionary_key: value1 +
        value2,
    ...
}

# 4-space hanging indent; nothing on first line
foo = long_function_name(
    var_one, var_two, var_three,
    var_four)

# 4-space hanging indent in a dictionary
foo = {
    long_dictionary_key:
        long_dictionary_value,
    ...
}
```

No:

```
# Stuff on first line forbidden
foo = long_function_name(var_one, var_two,
    var_three, var_four)

# 2-space hanging indent forbidden
foo = long_function_name(
    var_one, var_two, var_three,
    var_four)

# No hanging indent in a dictionary
foo = {
    long_dictionary_key:
        long_dictionary_value,
    ...
}
```

4.4.5

Tip: `],), }` . YAPF .

```
Yes: golomb3 = [0, 1, 3]
Yes: golomb4 = [
    0,
    1,
    4,
    6,
]
```

```
No:    golomb4 = [
    0,
    1,
    4,
    6
]
```

4.4.6

Tip: ,

, . , . , . , . , .

4.4.7

Tip:

```
Yes: spam(ham[1], {eggs: 2}, [])
```

```
No:  spam( ham[ 1 ], { eggs: 2 }, [ ] )
```

, , , ().

```
Yes: if x == 4:
      print(x, y)
      x, y = y, x
```

```
No:  if x == 4 :
      print(x , y)
      x , y = y , x
```

,

```
Yes: spam(1)
```

```
no: spam (1)
```

```
Yes: dict['key'] = list[index]
```

```
No:  dict ['key'] = list [index]
```

, (=), (==, <, >, !=, <>, <=, >=, in, not in, is, is not), (and, or, not), .

```
Yes: x == 1
```

```
No: x<1
```

```
= , . , = .
```

```
Yes: def complex(real, imag=0.0): return magic(r=real, i=imag)
Yes: def complex(real, imag: float = 0.0): return Magic(r=real, i=imag)
```

```
No: def complex(real, imag = 0.0): return magic(r = real, i = imag)
No: def complex(real, imag: float=0.0): return Magic(r = real, i = imag)
```

```
, ( :, #, = ):
```

```
Yes:
```

```
foo = 1000 # comment
long_name = 2 # comment that should not be aligned

dictionary = {
    "foo": 1,
    "long_name": 2,
}
```

```
No:
```

```
foo      = 1000 # comment
long_name = 2      # comment that should not be aligned

dictionary = {
    "foo"      : 1,
    "long_name": 2,
}
```

4.4.8 Shebang

```
Tip: .py  #! . PEP-394 , main  #!/usr/bin/python2  #!/usr/bin/python3 .
```

```
( : , Shebang ( Hashbang)      (#!), . Shebang , Unix      Shebang ,
, , Shebang . , #!/bin/sh     /bin/sh .)
#! Python , , . #! .
```

4.4.9

```
Tip: , ,
```

```
Python      : . , , . . __doc__ , pydoc . (      pydoc ,
).      """( PEP-257 ).      : , (      ).      .
.
```

(, Apache 2.0, BSD, LGPL, GPL),

"""A one line summary of the module or program, terminated by a period.

Leave one blank line. The rest of this docstring should contain an overall description of the module or program. Optionally, it may also contain a brief description of exported classes and functions and/or usage examples.

Typical usage example:

```
foo = ClassFoo()
bar = foo.FunctionBar()
"""

```

, , ,
, :
1.
2.
3.
, , " ", , , , , ,
See base class
, , , , , , , , ,
, , , , , , , , ,
Args: , , . 80 , 2 4 ().
*foo() **bar(), *foo **bar.
Returns: (**Yields:**) . None, .
Raises: .

```
def fetch_smalltable_rows(table_handle: smalltable.Table,
                         keys: Sequence[Union[bytes, str]],
                         require_all_keys: bool = False,
) -> Mapping[bytes, Tuple[str]]:
    """Fetches rows from a Smalltable.
```

Retrieves rows pertaining to the given keys from the Table instance represented by table_handle. String keys will be UTF-8 encoded.

Args:

keys: A sequence of strings representing the key of each table row to fetch. String keys will be UTF-8 encoded.
require_all_keys: Optional; If require_all_keys is True only

(continues on next page)

(continued from previous page)

rows with values set for all keys will be returned.

Returns:

A dict mapping keys to the corresponding table row data fetched. Each row is represented as a tuple of strings. For example:

```
{b'Serak': ('Rigel VII', 'Preparer'),
 b'Zim': ('Irk', 'Invader'),
 b'Lrrr': ('Omicron Persei 8', 'Emperor')}
```

Returned keys are always bytes. If a key from the keys argument is missing from the dictionary, then that row was not found in the table (and require_all_keys must have been False).

Raises:

IOError: An error occurred accessing the smalltable.

"""

Args: :

```
def fetch_smalltable_rows(table_handle: smalltable.Table,
                         keys: Sequence[Union[bytes, str]],
                         require_all_keys: bool = False,
) -> Mapping[bytes, Tuple[str]]:
    """Fetches rows from a Smalltable.
```

Retrieves rows pertaining to the given keys from the Table instance represented by table_handle. String keys will be UTF-8 encoded.

Args:

table_handle:

An open smalltable.Table instance.

keys:

A sequence of strings representing the key of each table row to fetch. String keys will be UTF-8 encoded.

require_all_keys:

Optional; If require_all_keys is True only rows with values set for all keys will be returned.

Returns:

A dict mapping keys to the corresponding table row data fetched. Each row is represented as a tuple of strings. For example:

```
{b'Serak': ('Rigel VII', 'Preparer'),
 b'Zim': ('Irk', 'Invader'),
 b'Lrrr': ('Omicron Persei 8', 'Emperor')}
```

Returned keys are always bytes. If a key from the keys argument is missing from the dictionary, then that row was not found in the table (and require_all_keys must have been False).

(continues on next page)

(continued from previous page)

```
Raises:  
IOError: An error occurred accessing the smalltable.  
"""
```

```
(Attributes), (Attributes) .  
  
class SampleClass(object):  
    """Summary of class here.  
  
    Longer class information....  
    Longer class information....  
  
    Attributes:  
        likes_spam: A boolean indicating if we like SPAM or not.  
        eggs: An integer count of the eggs we have laid.  
    """  
  
    def __init__(self, likes_spam=False):  
        """Inits SampleClass with blah."""  
        self.likes_spam = likes_spam  
        self.eggs = 0  
  
    def public_method(self):  
        """Performs operation blah."""
```

```
, , , ,  
# We use a weighted dictionary search to find out where i is in  
# the array. We extrapolate position based on the largest num  
# in the array and the array size and then do binary search to  
# get the exact number.
```

```
if i & (i-1) == 0: # True if i is 0 or a power of 2.
```

```
, 2 .  
, Python,
```

```
# BAD COMMENT: Now go through the b array and make sure whenever i occurs  
# the next element is i+1
```

4.4.10 ,

Tip: ,

4.4.11

Tip: , object . .(python2)

```
Yes: class SampleClass(object):
      pass

      class OuterClass(object):
          class InnerClass(object):
              pass

      class ChildClass(ParentClass):
          """Explicitly inherits from another class already."""


```

```
No: class SampleClass:
      pass
```

```
class OuterClass:

    class InnerClass:
        pass
```

```
object (properties) , , PEP-3000 . , , __new__, __init__,
__delattr__, __getattribute__, __setattr__, __hash__, __repr__, and __str__.
```

4.4.12

Tip: , % . , + % .

```
Yes: x = a + b
      x = '%s, %s!' % (imperative, expletive)
      x = '{}, {}!'.format(imperative, expletive)
      x = 'name: %s; score: %d' % (name, n)
      x = 'name: {}; score: {}'.format(name, n)
```

```
No: x = '%s%s' % (a, b) # use + in this case
      x = '{}{}'.format(a, b) # use + in this case
      x = imperative + ', ' + expletive + '!'
      x = 'name: ' + name + '; score: ' + str(n)
```

```
+= . , , . , , .join . ( cStringIO.
StringIO .)
```

```
Yes: items = ['<table>']
    for last_name, first_name in employee_list:
        items.append('<tr><td>%s, %s</td></tr>' % (last_name, first_name))
    items.append('</table>')
    employee_table = ''.join(items)
```

```
No: employee_table = '<table>'
    for last_name, first_name in employee_list:
        employee_table += '<tr><td>%s, %s</td></tr>' % (last_name, first_name)
    employee_table += '</table>'
```

,

```
Yes:
    Python('Why are you hiding your eyes?')
    Gollum("I'm scared of lint errors.")
    Narrator('"Good!" thought a happy Python reviewer.')
```

```
No:
    Python("Why are you hiding your eyes?")
    Gollum('The lint. It burns. It burns us.')
    Gollum("Always the great lint. Watching. Watching.")
```

"""
", """, , , """,
textwrap.dedent()

```
No:
long_string = """This is pretty ugly.
Don't do this.
"""
```

```
Yes:
long_string = """This is fine if your use case can accept
extraneous leading spaces."""
```

```
Yes:
long_string = ("And this is fine if you cannot accept\n" +
    "extraneous leading spaces.")
```

```
Yes:
long_string = ("And this too is fine if you cannot accept\n"
    "extraneous leading spaces.")
```

```
Yes:
import textwrap

long_string = textwrap.dedent("""\
    This is also fine, because textwrap.dedent()
    will collapse common leading spaces in each line.""")
```

4.4.13 sockets

Tip: sockets , .

, sockets , , , :

1. , , , , , .
2. .
3. sockets, , , , , , .
, , sockets , , , , , , :

1. , , , Python , , .
2. , , (,).

“with” :

```
with open("hello.txt") as hello_file:  
    for line in hello_file:  
        print line
```

“with” , contextlib.closing():

```
import contextlib  
  
with contextlib.closing(urllib.urlopen("http://www.python.org/")) as front_page:  
    for line in front_page:  
        print line
```

Legacy AppEngine Python 2.5 “with” , from __future__ import with_statement .

4.4.14 TODO

Tip: TODO , . , .

TODO ”TODO” , , , email , , , , , . TODO , , ().
TODO , , TODO, , .

```
# TODO(kl@gmail.com): Use a "*" here for string repetition.  
# TODO(Zeke) Change this to use relations.
```

TODO ” ” , (“2009 11 ”) (“ ” XML ”).

4.4.15

Tip: , typing

```
Yes: import os
     import sys
     from typing import Mapping, Sequence
```

```
No:  import os, sys
```

, , , . :

1. __future__

```
from __future__ import absolute_import
from __future__ import division
from __future__ import print_function
```

1.

```
import sys
```

1.

```
import tensorflow as tf
```

1.

```
from otherproject.ai import mind
```

, , , .

```
import collections
import queue
import sys

from absl import app
from absl import flags
import bs4
import cryptography
import tensorflow as tf

from book.genres import scifi
from myproject.backend import huxley
from myproject.backend.hgwells import time_machine
from myproject.backend.state_machine import main_loop
from otherproject.ai import body
from otherproject.ai import mind
from otherproject.ai import soul

# Older style code may have these imports down here instead:
#from myproject.backend.hgwells import time_machine
#from myproject.backend.state_machine import main_loop
```

4.4.16

Tip:

, , . if , else . , try/except , try except .

Yes:

```
if foo: bar(foo)
```

No:

```
if foo: bar(foo)
else: baz(foo)

try: bar(foo)
except ValueError: baz(foo)

try:
    bar(foo)
except ValueError: baz(foo)
```

4.4.17

Tip: Python , , , , (property) .

(: , : ! , . Pythonic)

, , , get_foo() set_foo() . (property) , , , ,

4.4.18

Tip: : module_name ; : package_name ; : ClassName ; : method_name ; : ExceptionName ; : function_name ; : GLOBAL_CONSTANT_NAME ; : global_var_name ; : instance_var_name ; : function_parameter_name ; : local_var_name . , , , , , . py , .

1. , , try/except e, with f.

2. / (-)

3. (Python , __init__)

1. ” (Internal)” , , .

2. (__ protected (from module import *).

3. (__) .

4. . Java,
 5. (CapWords, Pascal), (lower_with_under.py). CapWords.py ,
 , , .
 python .py - . , exec "\$0.py" "\$@" bash .

Python Guido

Type	Public	Internal
Modules	lower_with_under	_lower_with_under
Packages	lower_with_under	
Classes	CapWords	_CapWords
Exceptions	CapWords	
Functions	lower_with_under()	_lower_with_under()
Global/Class Constants	CAPS_WITH_UNDERCAPS_WITH_UNDER	
Global/Class Variables	lower_with_under	_lower_with_under
Instance Variables	lower_with_under	_lower_with_under (protected) or __lower_with_under (private)
Method Names	lower_with_under()	_lower_with_under() (protected) or __lower_with_under() (private)
Function/Method Parameters	lower_with_under	
Local Variables	lower_with_under	

4.4.19 Main

Tip: , . (main functionality) , . main() .

Python , pydoc . if __name__ == '__main__' ,
 abs!, app.run :

```
from absl import app
...
def main(argv):
    # process non-flag arguments
    ...
if __name__ == '__main__':
    app.run(main)
```

```
, :
def main():
    ...
if __name__ == '__main__':
    main()
```

, , pydoc .

4.4.20

Tip: , ,

. 40 , . , , bug. , .

4.4.21

1. 'PEP-484 <<https://www.python.org/dev/peps/pep-0484/>>'
2. self cls
3. Any
4.
 1. API
 - 2.
 - 3.
 - 4.
 - 5.

```
def my_method(self,
              first_var: int,
              second_var: Foo,
              third_var: Optional[Bar]) -> int:
...
```

```
    . , , .
def my_method(self, first_var: int) -> int:
...
```

```
    , , , 4 .
def my_method(
    self, first_var: int) -> Tuple[MyLongType1, MyLongType1]:
...
```

, , 4 ,) def

```
Yes:
def my_method(
    self, other_arg: Optional[MyLongType]
) -> Dict[OtherLongType, MyLongType]:
...
```

pylint) (, .

```
No:
def my_method(self,
              other_arg: Optional[MyLongType]
) -> Dict[OtherLongType, MyLongType]:
...
```

```
, , , ,
def my_method(
    self,
    first_var: Tuple[List[MyLongType1],
                     List[MyLongType2]],
    second_var: List[Dict[
        MyLongType3, MyLongType4]]) -> None:
...
```

, alias. “:” 4 .

```
Yes:
def my_function(
    long_variable_name:
        long_module_name.LongTypeName,
) -> None:
...
```

```
No:
def my_function(
    long_variable_name: long_module_name.
        LongTypeName,
) -> None:
...
```

```
, ,
class MyClass:

    def __init__(self,
                 stack: List["MyClass"]) -> None:
```

PEP-008 , = .

```
Yes:
def func(a: int = 0) -> int:
    ...
```

```
No:
def func(a:int=0) -> int:
    ...
```

NoneType

python , NoneType “ ”, , None NoneType . None, . Union, ,
Optional. Optional.PEP-484 a: Text = None a: Optional[Text] =
None, .

```
Yes:
def func(a: Optional[Text], b: Optional[Text] = None) -> Text:
    ...
def multiple_nullable_union(a: Union[None, Text, int]) -> Text
    ...
```

```
No:
def nullable_union(a: Union[None, Text]) -> Text:
    ...
def implicit_optional(a: Text = None) -> Text:
    ...
```

, . , “_” . , :
_shortName = module_with_long_name.TypeWithLongName
ComplexMap = Mapping[Text, List[Tuple[int, int]]]

```
# type: ignore . pytype ( lint):
# pytype: disable=attribute-error
```

, :
type:::
a = SomeUndecoratedFunction() # type: Foo

, :
a: Foo = SomeUndecoratedFunction()

Tuples vs Lists

Lists . Tuples , . (: , python ,list tuple , , list tuple)

```
a = [1, 2, 3] # type: List[int]
b = (1, 2, 3) # type: Tuple[int, ...]
c = (1, "2", 3.5) # type: Tuple[int, Text, float]
```

TypeVars

python . TypeVars.

```
from typing import List, TypeVar
T = TypeVar("T")
...
def next(l: List[T]) -> T:
    return l.pop()
```

TypeVar

AddableType = TypeVar("AddableType", int, float, Text)
def add(a: AddableType, b: AddableType) -> AddableType:
 return a + b

typing AnyStr. bytes, unicode .

```
from typing import AnyStr
def check_length(x: AnyStr) -> AnyStr:
    if len(x) <= 42:
        return x
    raise ValueError()
```

python . python3 , str. Text . , . python2 ,
Text. , str . unicode, python3 . , python , "str" .

No:
def py2_code(x: str) -> unicode:
...
,
bytes.

```
def deals_with_binary_data(x: bytes) -> bytes:
    ...
```

python2 "str" "unicode", python3 str.

```
from typing import Text
...
def py2_compatible(x: Text) -> Text:
...
def py3_only(x: str) -> str:
...
```

, Union , .

```
from typing import Text, Union
...
```

(continues on next page)

(continued from previous page)

```
def py2_compatible(x: Union[bytes, Text]) -> Union[bytes, Text]:
...
def py3_only(x: Union[bytes, str]) -> Union[bytes, str]:
...
```

, , AnyStr. python3

typing , . typing , :

```
from typing import Any, Dict, Optional
```

, typing , . , “import x as y” :

```
from typing import Any as AnyType
```

, , , . , . if TYPE_CHECKING: .
 1. string, python3.6 . python3.6 , .
 2. , . , , .
 3. .
 4. .
 5. , .

```
import typing
if typing.TYPE_CHECKING:
    import sketch
def f(x: "sketch.Sketch"): ...
```

, , . (Any , Any,). Any . alias

```
from typing import Any
```

some_mod = Any # some_mod.py imports this module.

...

def my_method(self, var: "some_mod.SomeType") -> None:

...

, , Any .

```
def get_names(employee_ids: List[int]) -> Dict[int, Any]:
...
```

```
# These are both interpreted as get_names(employee_ids: List[Any]) -> Dict[Any,
↪ Any]
def get_names(employee_ids: list) -> Dict:
...
def get_names(employee_ids: List) -> Dict:
...
```

Any , . , TypeVar .

```
def get_names(employee_ids: List[Any]) -> Dict[Any, Text]:
    """Returns a mapping from employee ID to employee name for given IDs."""

```

```
T = TypeVar('T')
def get_names(employee_ids: List[T]) -> Dict[T, Text]:
    """Returns a mapping from employee ID to employee name for given IDs."""

```

4.5

, , . , , , . , , .
 , " ", " ". , , . , , .

Revision 2.60

Amit Patel
 Antoine Picard
 Eugene Jhong
 Gregory P. Smith
 Jeremy Hylton
 Matt Smart
 Mike Shields
 Shane Liebling

CHAPTER 5

Shell -

Contents

- *Shell* -

5.1

1.26

Paul Armstrong

Bean Zhang v1.26

- Google Style Guide
- Google -

5.2

5.2.1 Shell

Tip: Bash shell

```
#!/bin/bash      set shell      bash <script_name>
shell bash      shell
Solaris SVR4      Bourne shell
```

5.2.2 Shell

Tip: Shell

Shell

- shell
- shell
- \${PHPESTATUS} Python
- 100 Python Shell

5.3 Shell

5.3.1

Tip: .sh .sh

shell
.sh

5.3.2 SUID / SGID

Tip: SUID(Set User ID) SGID(Set Group ID) shell

shell SUID/SGID shell bash SUID
sudo

5.4

5.4.1 STDOUT vs STDERR

Tip: STDERR

```
err() {
    echo "[$(date +'%Y-%m-%dT%H:%M:%S%z')]: $@" >&2
}

if ! do_something; then
    err "Unable to do_something"
    exit "${E_DID NOTHING}"
fi
```

5.5

5.5.1

Tip:

```
#!/bin/bash
#
# Perform hot backups of Oracle databases.
```

5.5.2

Tip:

-
-
-
-

```
#!/bin/bash
#
# Perform hot backups of Oracle databases.

export PATH='/usr/xpg4/bin:/usr/bin:/opt/csw/bin:/opt/goog/bin'

#####
```

(continues on next page)

(continued from previous page)

```
# Cleanup files from the backup dir
# Globals:
#   BACKUP_DIR
#   ORACLE_SID
# Arguments:
#   None
# Returns:
#   None
#####
cleanup() {
    ...
}
```

5.5.3

Tip:

5.5.4 TODO

Tip: TODO

C++
Todos TODO TODO bug ticket

```
# TODO(mrmonkey): Handle the unlikely edge cases (bug ####)
```

5.6

5.6.1

Tip:

5.6.2

Tip: 80

80 here document 80

```
# DO use 'here document's
cat <<END;
I am an exceptionally long
string.
END

# Embedded newlines are ok too
long_string="I am an exceptionally
long string."
```

5.6.3

Tip:

2 '|' '||' '&&'

```
# All fits on one line
command1 | command2

# Long commands
command1 \
| command2 \
| command3 \
| command4
```

5.6.4

Tip: ; do , ; then while , for , if

shell ; do , ; then if/for/while else

```
for dir in ${dirs_to_cleanup}; do
  if [[ -d "${dir}/${ORACLE_SID}" ]]; then
    log_date "Cleaning up old files in ${dir}/${ORACLE_SID}"
    rm "${dir}/${ORACLE_SID}/*"
    if [[ "$?" -ne 0 ]]; then
      error_message
    fi
  else
    mkdir -p "${dir}/${ORACLE_SID}"
    if [[ "$?" -ne 0 ]]; then
      error_message
    fi
```

(continues on next page)

(continued from previous page)

```
fi  
done
```

5.6.5 case

Tip:

- 2
 - ;;
 - ;;
-

```
case esac ;& ;;&

case "${expression}" in
  a)
    variable="..."
    some_command "${variable}" "${other_expr}" ...
    ;;
  absolute)
    actions="relative"
    another_command "${actions}" "${other_expr}" ...
    ;;
  *)
    error "Unexpected expression '${expression}'"
    ;;
esac

;;
;;
;;
verbose='false'
aflag=''
bflag=''
files=''
while getopts 'abf:v' flag; do
  case "${flag}" in
    a) aflag='true' ;;
    b) bflag='true' ;;
    f) files="${OPTARG}" ;;
    v) verbose='true' ;;
    *) error "Unexpected option ${flag}" ;;
  esac
done
```

5.6.6

Tip: \${var} \$var

- 1.
- 2.
3. shell

```
# Section of recommended cases.

# Preferred style for 'special' variables:
echo "Positional: $1" "$5" "$3"
echo "Specials: !=$!, -=$-, _=$_. ?=$?, #=$# *=${*} @=${@} \${=##} ..."

# Braces necessary:
echo "many parameters: ${10}"

# Braces avoiding confusion:
# Output is "a0b0c0"
set -- a b c
echo "${1}0${2}0${3}0"

# Preferred style for other variables:
echo "PATH=${PATH}, PWD=${PWD}, mine=${some_var}"
while read f; do
    echo "file=${f}"
done <<(ls -l /tmp)

# Section of discouraged cases

# Unquoted vars, unbraced vars, brace-quoted single letter
# shell specials.
echo a=$avar "b=$bvar" "PID=${$}" "${1}"

# Confusing use: this is expanded as "${1}0${2}0${3}0",
# not "${10}${20}${30}"
set -- a b c
echo "$10$20$30"
```

5.6.7

Tip:

- shell
-
-
- [[
- \${@} \${*}

```

# 'Single' quotes indicate that no substitution is desired.
# "Double" quotes indicate that substitution is required/tolerated.

# Simple examples
# "quote command substitutions"
flag=$(some_command and its args "$@" 'quoted separately')

# "quote variables"
echo "${flag}"

# "never quote literal integers"
value=32
# "quote command substitutions", even when you expect integers
number=$(generate_number)

# "prefer quoting words", not compulsory
readonly USE_INTEGER='true'

# "quote shell meta characters"
echo 'Hello stranger, and well met. Earn lots of $$$'
echo "Process $$: Done making \$\$\\$"

# "command options or path names"
# ($1 is assumed to contain a value here)
grep -li Hugo /dev/null "$1"

# Less simple examples
# "quote variables, unless proven false": ccs might be empty
git send-email --to "${reviewers}" ${ccs:+--cc} "${ccs}"

# Positional parameter precautions: $1 might be unset
# Single quotes leave regex as-is.
grep -cP '([Ss]pecial|[^?characters]*)$' ${1:+"$1"}

# For passing on arguments,
# "$@" is right almost everytime, and
# $* is wrong almost everytime:
#
# * $* and $@ will split on spaces, clobbering up arguments
#   that contain spaces and dropping empty strings;
# * "$@" will retain arguments as-is, so no args
#   provided will result in no args being passed on;
#   This is in most cases what you want to use for passing
#   on arguments.
# * "$*" expands to one argument, with all args joined
#   by (usually) spaces,
#   so no args provided will result in one empty string
#   being passed on.
# (Consult 'man bash' for the nit-grits ;-)

set -- 1 "2 two" "3 three tres"; echo $# ; set -- "$*"; echo "$#, $@"
set -- 1 "2 two" "3 three tres"; echo $# ; set -- "$@"; echo "$#, $@"

```

5.7

5.7.1

Tip: \$(command)

\$(command)

```
# This is preferred:  
var=$(command "$(command1)")  
  
# This is not:  
var=`command \`command1\``
```

5.7.2 test [[[

Tip: [[...]] , test , /usr/bin/[

[[]] [[...]] [[...]] [...]

```
# This ensures the string on the left is made up of characters in the  
# alnum character class followed by the string name.  
# Note that the RHS should not be quoted here.  
# For the gory details, see  
# E14 at http://tiswww.case.edu/php/chet/bash/FAQ  
if [[ "filename" =~ ^[:alnum:]+name ]]; then  
    echo "Match"  
fi  
  
# This matches the exact pattern "f*" (Does not match in this case)  
if [[ "filename" == "f*" ]]; then  
    echo "Match"  
fi  
  
# This gives a "too many arguments" error as f* is expanded to the  
# contents of the current directory  
if [ "filename" == f* ]; then  
    echo "Match"  
fi
```

5.7.3

Tip:

Bash

```
# Do this:  
if [[ "${my_var}" = "some_string" ]]; then  
    do_something  
fi  
  
# -z (string length is zero) and -n (string length is not zero) are  
# preferred over testing for an empty string  
if [[ -z "${my_var}" ]]; then  
    do_something  
fi  
  
# This is OK (ensure quotes on the empty side), but not preferred:  
if [[ "${my_var}" = "" ]]; then  
    do_something  
fi  
  
# Not this:  
if [[ "${my_var}X" = "some_stringX" ]]; then  
    do_something  
fi
```

‘-z’ ‘-n’

```
# Use this  
if [[ -n "${my_var}" ]]; then  
    do_something  
fi  
  
# Instead of this as errors can occur if ${my_var} expands to a test  
# flag  
if [[ "${my_var}" ]]; then  
    do_something  
fi
```

5.7.4

Tip:

- `/* *`

```
# Here's the contents of the directory:  
# -f -r somedir somefile  
  
# This deletes almost everything in the directory by force  
psa@bilby$ rm -v *  
removed directory: `somedir'  
removed `somefile'  
  
# As opposed to:  
psa@bilby$ rm -v ./*
```

(continues on next page)

(continued from previous page)

```
removed `./-f'
removed `./-r'
rm: cannot remove `./somedir': Is a directory
removed `./somefile'
```

5.7.5 Eval

Tip: eval

Eval

```
# What does this set?
# Did it succeed? In part or whole?
eval $(set_my_variables)

# What happens if one of the returned values has a space in it?
variable="$(eval some_function)"
```

5.7.6 while

Tip: for while while shell shell

while shell bug

```
last_line='NULL'
your_command | while read line; do
    last_line="${line}"
done

# This will output 'NULL'
echo "${last_line}"
```

for

```
total=0
# Only do this if there are no spaces in return values.
for value in $(command); do
    total+=" ${value}"
done
```

shell bash while shell

```
total=0
last_file=
while read count filename; do
    total+=" ${count}"
    last_file="${filename}"
```

(continues on next page)

(continued from previous page)

```
done < <(your_command | uniq -c)

# This will output the second field of the last line of output from
# the command.
echo "Total = ${total}"
echo "Last one = ${last_file}"
```

shell while “ ” awk shell

```
# Trivial implementation of awk expression:
# awk '$3 == "nfs" { print $2 " maps to " $1 }' /proc/mounts
cat /proc/mounts | while read src dest type opts rest; do
    if [[ ${type} == "nfs" ]]; then
        echo "NFS ${dest} maps to ${src}"
    fi
done
```

5.8

5.8.1

Tip: :: function

:: Google

```
# Single function
my_func() {
    ...
}

# Part of a package
mypackage::my_func() {
    ...
}
```

() function

5.8.2

Tip:

```
for zone in ${zones}; do
    something_with "${zone}"
done
```

5.8.3

Tip:

```
# Constant
readonly PATH_TO_FILES='/some/path'

# Both constant and environment
declare -xr ORACLE_SID='PROD'
```

getopts getopts declare readonly export

```
VERBOSE='false'
while getopts 'v' flag; do
  case "${flag}" in
    v) VERBOSE='true' ;;
  esac
done
readonly VERBOSE
```

5.8.4

Tip:

Google maketemplate make_template make-template

5.8.5

Tip: readonly declare -r

shell

```
zip_version=$(dpkg --status zip | grep Version: | cut -d ' ' -f 2)
if [[ -z "${zip_version}" ]]; then
  error_message
else
  readonly zip_version
fi
```

5.8.6

Tip: local

```
local  
    local
```

```
my_func2() {  
    local name="$1"  
  
    # Separate lines for declaration and assignment:  
    local my_var  
    my_var=$(my_func) || return  
  
    # DO NOT do this: $? contains the exit code of 'local', not my_func  
    local my_var=$(my_func)  
    [[ $? -eq 0 ]] || return  
  
    ...  
}
```

5.8.7

Tip:

includes set

5.8.8 main

Tip: main

```
main  
main  
main "$@"
```

main

5.9

5.9.1

Tip:

\$? if

```

if ! mv "${file_list}" "${dest_dir}"; then
    echo "Unable to move ${file_list} to ${dest_dir}" >&2
    exit "${E_BAD_MOVE}"
fi

# Or
mv "${file_list}" "${dest_dir}"/
if [[ "$?" -ne 0 ]]; then
    echo "Unable to move ${file_list} to ${dest_dir}" >&2
    exit "${E_BAD_MOVE}"
fi

```

Bash PIPESTATUS

```

tar -cf - ./* | ( cd "${dir}" && tar -xf - )
if [[ "${PIPESTATUS[0]}" -ne 0 || "${PIPESTATUS[1]}" -ne 0 ]]; then
    echo "Unable to tar files to ${dir}" >&2
fi

```

PIPESTATUS	PIPESTATUS	[PIPESTATUS
<pre> tar -cf - ./* (cd "\${DIR}" && tar -xf -) return_codes=(\${PIPESTATUS[*]}) if [["\${return_codes[0]}" -ne 0]]; then do_something fi if [["\${return_codes[1]}" -ne 0]]; then do_something_else fi </pre>		

5.9.2

Tip: shell

bash(1) sed

```

# Prefer this:
addition=$((X + Y))
substitution="${string/#foo/bar}"

# Instead of this:
addition=$(expr $X + $Y)
substitution=$(echo "$string" | sed -e 's/^foo/bar/')

```

5.10

C++

CHAPTER 6

Javascript -

6.1

Google JavaScript JavaScript

6.2 Javascript

6.2.1 var

var

var document window var

6.2.2

- NAMES_LIKE_THIS
- @const
- IE const

CONSTANT_VALUE_CASE

```
number string boolean
```

```
@const          const          const      IE      const  
@const
```

```
@const          CONSTANT_VALUE_CASE
```

```
/**  
*  
* @type {number}  
*/  
goog.example.TIMEOUT_IN_MILLISECONDS = 60;
```

```
1 60          @const
```

```
/**  
* Map of URL to response string.  
* @const  
*/  
MyClass.fetchedUrlCache_ = new goog.structs.Map();
```

6.2.3

```
// 1.  
MyClass.prototype.myMethod = function() {  
    return 42;  
} // .  
  
(function() {  
    //  
})();  
  
var x = {  
    'i': 1,  
    'j': 2  
} // .  
  
// 2. IE firefox .
```

(continues on next page)

(continued from previous page)

```
// .
[normalVersion, ffVersion][isIE]();

var THINGS_TO_EAT = [apples, oysters, sprayOnCheese] // 

// 3.
-1 == resultOfOperation() || die();
```

1. js 42 42
2. "no sush property in undefined" x[normalVersion, ffVersion][isIE]()
3. die resultOfOperation() NaN THINGS_TO_EAT die()

js ")" "}" "]" "(" ">{" "[" js

```
var foo = function() {
    return true;
}; // 

function foo() {
    return true;
} //
```

6.2.4

6.2.5

```
if (x) {
    function foo() {}
}
```

ECMAScript ECMA-262 13 14 EcmaScript ECMAScript ,

```
if (x) {  
    var foo = function() {}  
}
```

6.2.6

6.2.7

hack

6.2.8

string.charAt(3) string[3] DOM

6.2.9

```
var x = new Boolean(false);  
if (x) {  
    alert('hi'); // "hi"  
}
```

```
var x = Boolean(0);  
if (x) {  
    alert('hi'); //  
}  
typeof Boolean(0) == 'boolean';  
typeof new Boolean(0) == 'object';
```

6.2.10

Javascript class B class D

Closure goog.inherits()

```
function D() {
    goog.base(this)
}
goog.inherits( D, B );

D.prototype.method =function() {
    ...
};
```

6.2.11

```
/** */ function SomeConstructor() { this.someProperty = 1; } Foo.prototype.someMethod =
function() { ... };

“new”
```

```
Foo.prototype.bar = function() {
    /* ... */
};
```

```
/** @constructor */
function Foo() {
    this.bar = value;
}
```

JavaScript “ ”

6.2.12

```
this.foo = null

o.prototype.dispose = function() {
    this.property_ = null;
};
```

```
Foo.prototype.dispose = function() {
    delete his.property_;
};
```

JavaScript if (key in obj)

6.2.13

JS

DOM

```
function foo(element, a, b) {
    element.onclick = function() { /* a b */ };
}
```

a b

```
function foo(element, a, b) {
    element.onclick = bar(a, b);
}

function bar(a, b) {
    return function() { /* a b */ }
}
```

6.2.14 eval()

RPC

eval()

eval eval

RPC

```
users = [
    {
        name: 'Eric',
        id: 37824,
        email: 'jellyvore@myway.com'
    },
    {
        name: 'xtof',
        id: 31337,
        email: 'b4d455h4x0r@google.com'
    },
    ...
];
```

eval() RPC XMLHttpRequest RPC JavaScript

```
var userOnline = false;
var user = 'nusrat';
var xmlhttp = new XMLHttpRequest();
xmlhttp.open('GET', 'http://chat.google.com/isUserOnline?user=' + user, false);
xmlhttp.send('');
//
// userOnline = true;
```

(continues on next page)

(continued from previous page)

```
if (xmlhttp.status == 200) {
    eval(xmlhttp.responseText);
}
// userOnline    true
```

6.2.15 with() {}

with with

```
with (foo) {
    var x = 3;
    return x;
}
```

x foo setter 3 with

6.2.16 this

this	eval	DOM	HTML	call()	apply()
this					
•					
•					

6.2.17 for-in

for-in 0 length-1

```
function printArray(arr) {
    for (var key in arr) {
        print(arr[key]);
    }
}

printArray([0,1,2,3]); // 

var a = new Array(10);
printArray(a); //

a = document.getElementsByTagName('*');
printArray(a); //

a = [0,1,2,3];
a.buhu = 'wine';
```

(continues on next page)

(continued from previous page)

```
printArray(a); //  
  
a = new Array;  
a[3] = 3;  
printArray(a); //
```

```
function printArray(arr) {  
    var l = arr.length;  
    for (var i = 0; i < l; i++) {  
        print(arr[i]);  
    }  
}
```

6.2.18

.....

JS Date RegExp String

6.2.19

```
var myString = 'A rather long string of English text, an error message \  
actually that just keeps going and going -- an error \  
message to make the Energizer bunny blush (right through \  
those Schwarzenegger shades)! Where was I? Oh yes, \  
you\'ve got an error and all the extraneous whitespace is \  
just gravy. Have a nice day.';
```

ECMAScript

```
var myString = 'A rather long string of English text, an error message ' +  
'actually that just keeps going and going -- an error ' +  
'message to make the Energizer bunny blush (right through ' +  
'those Schwarzenegger shades)! Where was I? Oh yes, ' +  
'you\'ve got an error and all the extraneous whitespace is ' +  
'just gravy. Have a nice day.';
```

6.2.20

```
// 3
var a1 = new Array(x1, x2, x3);

// 2
var a2 = new Array(x1, x2);

// If x1 is a number and it is a natural number the length will be x1.
// If x1 is a number but not a natural number this will throw an exception.
// Otherwise the array will have one element with x1 as its value.
var a3 = new Array(x1);

// 0
var a4 = new Array();
```

2

```
var a = [x1, x2, x3];
var a2 = [x1, x2];
var a3 = [x1];
var a4 = [];
```

```
var o = new Object();

var o2 = new Object();
o2.a = 0;
o2.b = 1;
o2.c = 2;
o2['strange key'] = 3;
```

```
var o = {};

var o2 = {
  a: 0,
  b: 1,
  c: 2,
  'strange key': 3
};
```

6.2.21

`Object.prototype` `Array.prototype`

`Function.prototype`

6.2.22 Internet Explorer

```
var f = function () {  
    /*@cc_on if (@_jscript) { return 2* 3; /*@ } @*/  
};
```

JavaScript

6.3 Javascript

6.3.1

functionNamesLikeThis variableNamesLikeThis ClassNamesLikeThis EnumNamesLikeThis
methodNamesLikeThis CONSTANT_VALUES_LIKE_THIS foo.namespaceNamesLikeThis.bar
filenameslikethis.js

-
-

opt_
var_args var_args arguments
@param

getter setter

EcmaScript 5 getter setter getter

```
/**  
* -- .  
*/  
var foo = { get next() { return this.nextId++; } };
```

getter setter getFoo() setFoo(value) isFoo()

JavaScript

JavaScript

“Project Sloth” sloth.*

```
var sloth = {};  
  
sloth.sleep = function() {  
  ...  
};
```

JavaScript the Closure Library Dojo toolkit

```
goog.provide('sloth');  
  
sloth.sleep = function() {  
  ...  
};
```

sloths hats Sloth sloth.hats

“ ” foo.hats.* foo.hats.*

```
foo.require('foo.hats');  
/**  
 * --  
 * @constructor  
 * @extends {foo.hats.RoundHat}  
 */  
foo.hats.BowlerHat = function() {  
};
```

API

API

API

```
foo.provide('googleyhats.BowlerHat');  
  
foo.require('foo.hats');  
/**  
 * @constructor  
 * @extends {foo.hats.RoundHat}  
 */  
googleyhats.BowlerHat = function() {
```

(continues on next page)

(continued from previous page)

```
...
};

goog.exportSymbol('foo.hats.BowlerHat', googleyhats.BowlerHat);
```

```
/** 
 * @constructor
 */
some.long.namespace.MyClass = function() {

};

/** 
 * @param {some.long.namespace.MyClass} a
 */
some.long.namespace.MyClass.staticHelper = function(a) {
    ...
};

myapp.main = function() {
    var MyClass = some.long.namespace.MyClass;
    var staticHelper = some.long.namespace.MyClass.staticHelper;
    staticHelper(new MyClass());
};
```

```
goog.scope
```

```
myapp.main = function() {
    var namespace = some.long.namespace;
    namespace.MyClass.staticHelper(new namespace.MyClass());
};
```

```
/** @enum {string} */
some.long.namespace.Fruit = {
    APPLE: 'a',
    BANANA: 'b'
};

myapp.main = function() {
    var Fruit = some.long.namespace.Fruit;
    switch (fruit) {
        case Fruit.APPLE:
            ...
        case Fruit.BANANA:
            ...
    }
};
```

```
myapp.main = function() {  
    var MyClass = some.long.namespace.MyClass;  
    MyClass.staticHelper(null);  
};
```

.js - - - -

6.3.2 **toString()**

toString() toString()	toString() toString()
--------------------------	--------------------------

6.3.3

6.3.4

window window window

6.3.5

C++

```
if (something) {  
    // ...  
} else {  
    // ...  
}
```

```
var arr = [1, 2, 3]; // []
var obj = {a: 1, b: 2, c: 3}; // []
```

```
//
var inset = {
  top: 10,
  right: 20,
  bottom: 15,
  left: 12
};

//
this.rows_ = [
  '"Slartibartfast" <fjordmaster@magrathaea.com>',
  '"Zaphod Beeblebrox" <theprez@universe.gov>',
  '"Ford Prefect" <ford@theguide.com>',
  '"Arthur Dent" <has.no.tea@gmail.com>',
  '"Marvin the Paranoid Android" <marv@googlemail.com>',
  'the.mice@magrathaea.com'
];

//
goog.dom.createDom(goog.dom.TagName.DIV, {
  id: 'foo',
  className: 'some-css-class',
  style: 'display:none'
}, 'Hello, world!');
```

```
CORRECT_Object.prototype = {
  a: 0,
  b: 1,
  lengthyName: 2
};
```

```
WRONG_Object.prototype = {
  a : 0,
  b : 1,
  lengthyName: 2
};
```

80

80

```
//      80
//
```

(continues on next page)

(continued from previous page)

```

goog.foo.bar.doThingThatIsVeryDifficultToExplain = function(
    veryDescriptiveArgumentNumberOne, veryDescriptiveArgumentTwo,
    tableViewEventHandlerProxy, artichokeDescriptorAdapterIterator) {
    // ...
};

// 
// 
goog.foo.bar.doThingThatIsVeryDifficultToExplain = function(
    veryDescriptiveArgumentNumberOne,
    veryDescriptiveArgumentTwo,
    tableViewEventHandlerProxy,
    artichokeDescriptorAdapterIterator) {
    // ...
};

//      80
// 
function foo(veryDescriptiveArgumentNumberOne, veryDescriptiveArgumentTwo,
            tableViewEventHandlerProxy, artichokeDescriptorAdapterIterator) {
    // ...
}

// 
// 
function bar(veryDescriptiveArgumentNumberOne,
             veryDescriptiveArgumentTwo,
             tableViewEventHandlerProxy,
             artichokeDescriptorAdapterIterator) {
    // ...
}

```

4

```

if (veryLongFunctionNameA(
        veryLongArgumentName) ||
    veryLongFunctionNameB(
        veryLongArgumentName)) {
    veryLongFunctionNameC(veryLongFunctionNameD(
        veryLongFunctionNameE(
            veryLongFunctionNameF)));
}

```

function

```

prefix.something.reallyLongFunctionName('whatever', function(a1, a2) {
    if (a1.equals(a2)) {
        someOtherLongFunctionName(a1);
    } else {

```

(continues on next page)

(continued from previous page)

```

        andNowForSomethingCompletelyDifferent(a2.parrot);
    }
});

var names = prefix.something.myExcellentMapFunction(
    verboselyNamedCollectionOfItems,
    function(item) {
        return item.name;
});

```

goog.scope

goog.scope the Closure Library

goog.scope	goog.provide goog.require	scope //
goog.scope(function() {	goog.provide goog.require	scope //
goog.scope		
C++ goog.scope 0		

```

goog.scope(function() {
var Button = goog.ui.Button;

Button = function() { ... };
...

```

```

goog.provide('my.module');

goog.require('goog.dom');
goog.require('goog.ui.Button');

goog.scope(function() {
var Button = goog.ui.Button;
var dom = goog.dom;

// Alias new types after the constructor declaration.
my.module.SomeType = function() { ... };
var SomeType = my.module.SomeType;

// Declare methods on the prototype as usual:
SomeType.prototype.findButton = function() {
    // Button as aliased above.
    this.button = new Button(dom.getElement('my-button'));
};

...
}); // goog.scope

```

4 2

```
someWonderfulHtml = '' +
    getEvenMoreHtml(someReallyInterestingValues, moreValues,
                    evenMoreParams, 'a duck', true, 72,
                    slightlyMoreMonkeys(0xffff)) +
    '';

thisIsAVeryLongVariableName =
    hereIsAnEvenLongerOtherFunctionNameThatWillNotFitOnPrevLine();

thisIsAVeryLongVariableName = 'expressionPartOne' + someMethodThatIsLong() +
    thisIsAnEvenLongerOtherFunctionNameThatCannotBeIndentedMore();

someValue = this.foo(
    shortArg,
    'Some really long string arg - this is a pretty common case, actually.',
    shorty2,
    this.bar());

if (searchableCollection(allYourStuff).contains(theStuffYouWant) &&
    !ambientNotification.isActive() && (client.isAmbientSupported() ||
                                              client.alwaysTryAmbientAnyways())) {
    ambientNotification.activate();
}
```

```
doSomethingTo(x);
doSomethingElseTo(x);
andThen(x);

nowDoSomethingWith(y);

andNowWith(z);
```

```
,
```

```
var x = a ? b : c; // All on one line if it will fit.

// Indentation +4 is OK.
var y = a ?
    longButSimpleOperandB : longButSimpleOperandC;

// Indenting to the line position of the first operand is also OK.
```

(continues on next page)

(continued from previous page)

```
var z = a ?  
    moreComplicatedB :  
    moreComplicatedC;
```

```
var x = foo.bar().  
doSomething().  
doSomethingElse();
```

6.3.6

```
delete  typeof  void      return  throw  case  in  new
```

6.3.7

```
'  "  
'  "      HTML
```

```
var msg = 'This is some HTML';
```

6.3.8

```
@private @protected JSDoc  
JSDoc @private @protected  
--jscomp_warning=visibility  
@private  
@private @private instanceof  
@protected  
  
// 1  
// AA_PrivateClass_  AA_init_  
  
/**  
 * @private  
 * @constructor  
 */  
AA_PrivateClass_ = function() {  
};  
  
/** @private */  
function AA_init_() {  
    return new AA_PrivateClass_();
```

(continues on next page)

(continued from previous page)

}

AA_init_();

@private

@protected

C++ JAVA private protected

C++

// File 1.

```
/** @constructor */
AA_PublicClass = function() {
  /** @private */
  this.privateProp_ = 2;

  /** @protected */
  this.protectedProp = 4;
};

/** @private */
AA_PublicClass.staticPrivateProp_ = 1;

/** @protected */
AA_PublicClass.staticProtectedProp = 31;

/** @private */
AA_PublicClass.prototype.privateMethod_ = function() {};

/** @protected */
AA_PublicClass.prototype.protectedMethod = function() {};
```

// File 2.

```
/**
 * @return {number} The number of ducks we've arranged in a row.
 */
AA_PublicClass.prototype.method = function() {
  // Legal accesses of these two properties.
  return this.privateProp_ + AA_PublicClass.staticPrivateProp_;
};
```

// File 3.

```
/**
 * @constructor
 * @extends {AA_PublicClass}
 */
AA_SubClass = function() {
  // Legal access of a protected static property.
  AA_PublicClass.staticProtectedProp = this.method();
};
```

(continues on next page)

(continued from previous page)

```
goog.inherits(AA_SubClass, AA_PublicClass);

/**
 * @return {number} The number of ducks we've arranged in a row.
 */
AA_SubClass.prototype.method = function() {
  // Legal access of a protected instance property.
  return this.protectedProp;
};
```

Javascript AA_PrivateClass_ public private

6.3.9 JavaScript

JSDoc EcmaScript 4

JavaScript

ES4 JavaScript JsDoc
ES4

	JavaScript 5 {null} {undefined} {boolean} {number} {string}		
	{Object} {Function} {EventTarget} EventTarget null	@constructor JSDoc @interface JSDoc	
	{goog.events.EventType} goog.events. EventType	, @enum JSDoc ES4	
	{Array.<string>} {Object.<string, number>}	Java	
	{(number boolean)}	A B {number boolean} {function(): (number boolean)}	{(number, boolean)} {(number boolean)}
	{?number}	syntactic sugar	{number? }
	{!Object}	null	{Object! }
	{}{myNum: number, myObject}}	myNum number myObject length Array.<{length}>	
	{function(string, boolean)}		
	{function(): number}		
this	{function(this:goog.ui. Menu, string)} goog.ui.Menu		
new	{function(new:goog.ui. Menu, string)} “new” goog.ui.Menu		
	{function(string, ... [number]): number}		
@param	@param {...number} var_args		
	{function(?string=, number=)} “=”		
@param	@param {number=} opt_argument number		
	{*}		
	{?}		

JavaScript

number	<pre>1 1.0 -5 1e5 Math.PI</pre>	
Number	<pre>new Number(true)</pre>	Number
string	<pre>'Hello' "World" String(42)</pre>	
String	<pre>new String('Hello') new String(42)</pre>	String
boolean	<pre>true false Boolean(0)</pre>	Boolean
Boolean	<pre>new Boolean(true)</pre>	Boolean
RegExp	<pre>new RegExp('hello') /world/g</pre>	
Date	<pre>new Date new Date()</pre>	
null	<pre>null</pre>	
undefined	<pre>undefined</pre>	
void	<pre>function f() { return; }</pre>	
Array	<pre>['foo', 0.3, null] []</pre>	
Array.<number>	<pre>[11, 22, 33]</pre>	
156		Chapter 6. Javascript -
Array.<Array.<string>>	<pre>[['one', 'two', 'three '], ['foo', 'bar']]</pre>	

```
/** @type {number} */ (x)
```

Javascript

```
/**
*
* @param {Object} value
* @constructor
*/
function MyClass(value) {
    /**
     * Some value.
     * @type {Object}
     * @private
     */
    this.myValue_ = value;
}
```

```
myValue_ null myValue_ null, :
```

```
/**
* null
* @param {!Object} value
* @constructor
*/
function MyClass(value) {
    /**
     * Some value.
     * @type {!Object}
     * @private
     */
    this.myValue_ = value;
}
```

```
MyClass null
undefined
```

```
/**
*
* @param {Object=} opt_value
* @constructor
*/
function MyClass(opt_value) {
    /**
     * Some value.
```

(continues on next page)

(continued from previous page)

```
* @type {Object|undefined}
* @private
*/
this.myValue_ = opt_value;
}
```

```
myValue_      null  undefined
:   opt_value  {Object=}  {Object|undefined}  undefined  undefined
```

```
/**
*
* @param {!Object} nonNull  null
* @param {Object} mayBeNull  null
* @param {!Object=} opt_nonNull  null
* @param {Object=} opt_mayBeNull  null
*/
function strangeButTrue(nonNull, mayBeNull, opt_nonNull, opt_mayBeNull) {
  // ...
};
```

```
/**
* @param {string} tagName
* @param {(string|Element|Text|Array.<Element>|Array.<Text>)} contents
* @return {!Element}
*/
goog.createElement = function(tagName, contents) {
  ...
};
```

@typedef

```
/** @typedef {string|Element|Text|Array.<Element>|Array.<Text>} */
goog.ElementContent;

/**
* @param {string} tagName
* @param {goog.ElementContent} contents
* @return {!Element}
*/
goog.createElement = function(tagName, contents) {
  ...
};
```

this this this

```
/** 
 * @param {function(this:T, ...)} fn
 * @param {T} thisObj
 * @param {...} var_args
 * @template T
 */
goog.bind = function(fn, thisObj, var_args) {
...
};

// 
goog.bind(function() { this.someProperty; }, new SomeClass());
// this
goog.bind(function() { this.someProperty; });


```

6.3.10

JSDoc

c++

JSDoc

//

JSDoc JavaDoc JSDoc

```
/** 
 * A JSDoc comment should begin with a slash and 2 asterisks.
 * Inline tags should be enclosed in braces like {@code this}.
 * @desc Block tags should always start on their own line.
*/
```

JSDoc

```
/** 
 * Illustrates line wrapping for long param/return descriptions.
 * @param {string} foo This is a param with a description too long to fit in
 *         one line.
 * @return {number} This returns something that has a description too long to
 *         fit in one line.
*/
project.MyClass.prototype.method = function(foo) {
  return 5;
};
```

@fileoverview

```
/**  
 * This is NOT the preferred indentation method.  
 * @param {string} foo This is a param with a description too long to fit in  
 *                      one line.  
 * @return {number} This returns something that has a description too long to  
 *                      fit in one line.  
 */  
project.MyClass.prototype.method = function(foo) {  
    return 5;  
};
```

JSDoc HTML

JavaDoc , JSdoc HTML <code> <pre> <tt> <a>
JSdoc

```
/**  
 * Computes weight based on three factors:  
 * items sent  
 * items received  
 * last timestamp  
 */
```

Computes weight based on three factors: items sent items received items received last
timestamp

```
/**  
 * Computes weight based on three factors:  
 * <ul>  
 * <li>items sent  
 * <li>items received  
 * <li>last timestamp  
 * </ul>  
 */
```

JavaDoc doc

/

```
/**  
 * @fileoverview Description of file, its uses and information  
 * about its dependencies.  
 */
```

Class

```
/**  
 * Class making something fun and easy.  
 * @param {string} arg1 An argument that makes this more interesting.  
 * @param {Array.<number>} arg2 List of numbers to be processed.  
 * @constructor  
 * @extends {goog.Disposable}  
 */  
project.MyClass = function(arg1, arg2) {  
    // ...  
};  
goog.inherits(project.MyClass, goog.Disposable);
```

```
/**  
 * Operates on an instance of MyClass and returns something.  
 * @param {project.MyClass} obj Instance of MyClass which leads to a long  
 *     comment that needs to be wrapped to two lines.  
 * @return {boolean} Whether something occurred.  
 */  
function PR_someMethod(obj) {  
    // ...  
}
```

```
/** @constructor */  
project.MyClass = function() {  
/**  
 * Maximum number of things per pane.  
 * @type {number}  
 */  
this.someProperty = 4;  
}
```

JSDoc

@author	<p>@author name@google.com user- (first last)</p> <pre>/** * @fileoverview * Utilities for * handling textareas. * @author kuth@google. * com (Uthur Pendragon) */</pre>	@fileoverview
@code	<pre>{@code ...} /** * Moves to the * next position * in the selec- * tion. * Throws * {@code * goog.iter.StopIteration} * when it * passes the * end of the * range. * @return * {Node} The * node at * the next * position. */ goog.dom.RangeIterator.prototype.next = function() { // ... };</pre>	

Continued on next page

Table 1 – continued from previous page

@const	<pre> @const @const {type} /** @const */ var MY_ ↳BEER = 'stout'; /** * My namespace's ↳favorite kind of beer. * @const {string} */ mynamespace.MY_BEER = ↳'stout'; /** @const */ MyClass. ↳MY_BEER = 'stout'; /** * Initializes the ↳request. * @const */ mynamespace.Request. ↳prototype.initialize ↳= function() { // This method cannot ↳be overriden in a ↳subclass. } </pre>	<pre> @const js @const @const </pre>
@constructor	<pre> @constructor /** * A rectangle. * @constructor */ function GM_Rect() { ... } </pre>	
@define	<pre> @define {Type} description /** @define {boolean} */ var TR_FLAGS_ENABLE_ ↳DEBUG = true; /** @define {boolean} */ goog.userAgent.ASSUME_ ↳IE = false; </pre>	<pre> --define='goog.userAgent. ASSUME_IE=true' goog.userAgent. ASSUME_IE true </pre>

Continued on next page

Table 1 – continued from previous page

@deprecated	<pre> @deprecated Description /** * Determines whether a ↵node is a field. * @return {boolean} ↵True if the contents ↵of * the element are ↵editable, but the ↵element * itself is not. * @deprecated Use ↵isField(). */ BN_EditUtil. ↪isTopEditableField =_ ↪function(node) { // ... }; </pre>	
@dict	<pre> @dict Description /** * @constructor * @dict */ function Foo(x) { this['x'] = x; } var obj = new Foo(123); var num = obj.x; // warning /** @dict */ ↪.x = 123; // warning </pre>	(Foo) @dict Foo
@enum	<pre> @enum {Type} /** * Enum for tri-state ↵values. * @enum {number} */ project.TriState = { TRUE: 1, FALSE: -1, MAYBE: 0 }; </pre>	

Continued on next page

Table 1 – continued from previous page

@export	<pre> @export /** @export */ foo.MyPublicClass. ↵prototype. ↵myPublicMethod = □ ↵function() { // ... }; </pre>	<pre> --generate_exports goog.exportSymbol('foo.MyPublicClass. ↵prototype.myPublicMethod', foo.MyPublicClass.prototype. ↵myPublicMethod); ↵@export 1. //javascript/closure/base.js , 2. goog.exportSymbol goog. exportProperty </pre>
@expose	<pre> @expose /** @expose */ MyClass.prototype.exposedProperty = 3; </pre>	<pre> @expose </pre>
@extends	<pre> @extends Type @extends {Type} /** • Immutable empty node list. • • @constructor • @extends goog.ds.BasicNodeList */ goog.ds.EmptyNodeList = function() { ... }; </pre>	<pre> @constructor </pre>
@externs	<pre> @externs /** • • @fileoverview This is an externs file. • @externs */ var document; </pre>	

Continued on next page

Table 1 – continued from previous page

@fileoverview	<pre>@fileoverview Description /** • @fileoverview Utilities for doing things that require this very long • but not in- dented com- ment. • @author kuth@google.com (Uthur Pen- dragon) */</pre>	
@implements	<pre>@implements Type @imple- ments {Type} /** • A shape. • @interface */ function Shape() {}; Shape.prototype.draw = function() {}; /** • @constructor • @implements {Shape} */ function Square() {}; Square.prototype.draw = function() { ... };</pre>	@constructor
@inheritDoc	<pre>@inheritDoc /** @inheritDoc */ project.SubClass. ↵prototype.toString() { // ... }; }</pre>	@override @inheritDoc @override

Continued on next page

Table 1 – continued from previous page

@interface	<pre> @interface /** * A shape. * @interface */ function Shape() {}; Shape.prototype.draw =_ function() {}; /** * A polygon. * @interface * @extends {Shape} */ function Polygon() {}; Polygon.prototype = getSides = function() {}; </pre>	
@lends	<pre> @lends objectName @lends {objectName} goog.object.extend(Button.prototype, /** @lends {Button. -prototype} */ { isButton:_, function() { return_}, true; } }); </pre>	<p style="text-align: right;">“ ” @type {Foo} Foo @lends {Foo} “Foo ”. JSDoc Toolkit docs</p>
@license or @preserve	<pre> @license Description /** * @preserve Copyright_ ↵2009 SomeThirdParty. * Here is the full_ ↵license text and_ ↵copyright * notice for this file._. ↵Note that the notice_ ↵can span several * lines and is only_ ↵terminated by the_ ↵closing star and_ ↵slash: */ </pre>	<pre> @licenseor @preserve </pre>

Continued on next page

Table 1 – continued from previous page

@noalias	<pre>@noalias /** @noalias */ function Range() {}</pre>	
@nosideeffects	<pre>@nosideeffects /** @nosideeffects */ function noSideEffectsFn1() { // ... }; /** @nosideeffects */ var noSideEffectsFn2 = function() { // ... }; /** @nosideeffects */ a.prototype.noSideEffectsFn3 = function() { // ... };</pre>	
@override	<pre>@override /** * @return {string} * Human-readable * representation of * project.SubClass. * @override */ project.SubClass.prototype.toString() { // ... };</pre>	

Continued on next page

Table 1 – continued from previous page

@param	<pre> @param {Type} varname Description /** * Queries a Baz for ↵items. * @param {number} ↵groupNum Subgroup id ↵to query. * @param ↵{string number null} ↵term An itemName, * or itemId, or null ↵to search everything. */ goog.Baz.prototype. ↵query = ↵function(groupNum, ↵term) { // ... }; </pre>	
@private	<pre> @private @private {type} /** * Handlers that are ↵listening to this ↵logger. * @private {!Array. ↵<Function>} */ this.handlers_ = []; </pre>	@private

Continued on next page

Table 1 – continued from previous page

@protected	<pre> @protected @protected {type} /** * Sets the component's ↵root element to the ↵given element. ↵ ↵Considered * protected and final. * @param {Element} ↵ ↵element Root element ↵for the component. * @protected */ goog.ui.Component. ↵prototype. ↵setElementInternal = ↵ ↵function(element) { // ... }; </pre>	“ “ <http://google-styleguide.googlecode.com/svn/trunk/javascriptguide.xml#Visibility_private_and_protected_fields>”
@return	<pre> @return {Type} Description /** * @return {string} The ↵hex ID of the last ↵item. */ goog.Baz.prototype. ↵getLastId = ↵ ↵function() { // ... ↵return id; }; </pre>	“ ” “ true false” <code>@return</code>
@see	<pre> @see Link /** * Adds a single item, ↵ ↵recklessly. * @see #addSafely * @see goog.Collect * @see goog. ↵RecklessAdder#add ... </pre>	

Continued on next page

Table 1 – continued from previous page

@struct	@struct Description	Foo	@struct	-
Foo	Foo			
	<pre>/** * @constructor * @struct */ function Foo(x) { this.x = x; } var obj = new Foo(123); var num = obj['x']; // warning obj.y = "asdf"; // warning Foo.prototype = /** @struct */ { method1: function() {} }; Foo.prototype.method2 = /** function() {}; // warning */</pre>			
@supported	@supported Description			
	<pre>/** * @fileoverview Event * Manager * Provides an abstracted interface to the * browsers' event systems. * @supported So far tested in IE6 and FF1. * 5 */</pre>			
@suppress	<pre>@suppress {warning1 warning2} /** * @suppress {deprecated} */ function f() { deprecatedVersionOfF(); }</pre>			

Continued on next page

Table 1 – continued from previous page

@template	<pre> @template /** * @param ↳{function(this:T, ... ↳)} fn * @param {T} thisObj * @param {...*} var_args * @template T */ goog.bind = function(fn, ↳ thisObj, var_args) { ... }; </pre>	
@this	<pre> @this Type @this {Type} pinto.chat.RosterWidget. ↳extern(↳'getRosterElement', /** * Returns the roster ↳widget element. * @this pinto.chat. ↳RosterWidget * @return {Element} */ function() { return this. ↳getWrappedComponent_ ↳().getElement(); }); </pre>	this
@type	<pre> @type Type @type {Type} /** * * • The message * hex ID. * • @type * {string} */ var hexId = hexId; </pre>	

Continued on next page

Table 1 – continued from previous page

@typedef	<pre> @typedef /** @typedef * {string number} */ goog.NumberLike; /** @param {goog. * NumberLike} x A * number or a string. */ goog.readNumber =_ function(x) { ... } </pre>	
----------	--	--

JSDoc JSDoc Toolkit “ ”

- @augments
- @argument
- @borrows
- @class
- @constant
- @constructs
- @default
- @event
- @example
- @field
- @function
- @ignore
- @inner
- @link
- @memberof
- @name
- @namespace
- @property
- @public
- @requires
- @returns
- @since
- @static
- @version

6.3.11 goog.provide

```
goog.provide('namespace.MyClass');
```

```
goog.provide('namespace.MyClass');
goog.provide('namespace.MyClass.Enum');
goog.provide('namespace.MyClass.InnerClass');
goog.provide('namespace.MyClass.TypeDef');
goog.provide('namespace.MyClass.CONSTANT');
goog.provide('namespace.MyClass.staticMethod');
```

```
goog.provide('foo.bar');
goog.provide('foo.bar.method');
goog.provide('foo.bar.CONSTANT');
```

6.3.12

JS Closure Compiler

6.3.13

JavaScript

True **False**

false

- null
- undefined
- ''
- 0

true

- "0"
- []
- {}

```
while (x != null) {
```

x 0 false

```
while (x) {
```

null

```
if (y != null && y != '') {
```

```
if (y) {
```

- Boolean('0') == true '0' != true
- 0 != null 0 == [] 0 == false
- Boolean(null) == false null != true null != false
- Boolean(undefined) == false undefined != true undefined != false
- Boolean([]) == true [] != true [] == false
- Boolean({}) == true {} != true {} != false

```
if (val != 0) {
  return foo();
} else {
  return bar();
}
```

```
return val ? foo() : bar();
```

HTML

```
var html = '<input type="checkbox"' +
  (isChecked ? ' checked' : '') +
  (isEnabled ? '' : ' disabled') +
  ' name="foo">';
```

&& ||

,
“||” ‘default’

```
/** @param {*} opt_win */
function foo(opt_win) {
    var win;
    if (opt_win) {
        win = opt_win;
    } else {
        win = window;
    }
    // ...
}
```

```
/** @param {*} opt_win */
function foo(opt_win) {
    var win = opt_win || window;
    // ...
}
```

“`&&`”

```
if (node) {
    if (node.kids) {
        if (node.kids[index]) {
            foo(node.kids[index]);
        }
    }
}
```

```
if (node && node.kids && node.kids[index]) {
    foo(node.kids[index]);
}
```

```
var kid = node && node.kids && node.kids[index];
if (kid) {
    foo(kid);
}
```

```
node && node.kids && node.kids[index] && foo(node.kids[index]);
```

length $O(n)$ length $O(n^2)$

```
var paragraphs = document.getElementsByTagName('p');
for (var i = 0; i < paragraphs.length; i++) {
```

(continues on next page)

(continued from previous page)

```
doSomething(paragraphs[i]);  
}
```

```
var paragraphs = document.getElementsByTagName('p');  
for (var i = 0, paragraph; paragraph = paragraphs[i]; i++) {  
    doSomething(paragraph);  
}
```

(false)

firstChild nextSibling

```
var parentNode = document.getElementById('foo');  
for (var child = parentNode.firstChild; child; child = child.nextSibling) {  
    doSomething(child);  
}
```


CHAPTER 7

TypeScript

7.1

7.1.1

RFC 2119

7.1.2

2021 09 02

- TinkerRobot

Google TypeScript Style Guide

TypeScript

- 2021 09 02 TinkerRobot

7.2

7.2.1

TypeScript ASCII ([\\)\\w]+

UpperCamelCase	
lowerCamelCase	
CONSTANT_CASE	
#ident	

loadHttpUrl loadHTTPURL XMLHttpRequest

\$

§ § Observable

Array<T> T UpperCamelCase

Closure testSuites xUnit - testX_whenY_doesZ()

-

- -

```
const [a, , b] = [1, 5, 10]; // a <- 1, b <- 10
```

lowerCamelCase snake_case

```
import * as fooBar from './foo_bar';
```

- jQuery \$
- three.js THREE

CONSTANT_CASE

deep frozen

```
const UNIT_SUFFIXES = {
  'milliseconds': 'ms',
  'seconds': 's',
};

// UNIT_SUFFIXES
//
```

```
class Foo {
  private static readonly MY_SPECIAL_NUMBER = 5;

  bar() {
    return 2 * Foo.MY_SPECIAL_NUMBER;
  }
}
```

const readonly

```
const {Foo} = SomeType;
const CAPACITY = 5;

class Teapot {
  readonly BrewStateEnum = BrewStateEnum;
  readonly CAPACITY = CAPACITY;
}
```

- —
 - *opt_*
 - *1.5. #include*
 - IMyInterface MyFooInterface
TodoItem TodoItemStorage
 - Observable \$
- API i j

7.2.2

UTF-8

ASCII Unicode ∞ Unicode \u221e

```
//  
const units = '\u03bc';  
  
//  
const output = '\ufe0f' + content; // Byte Order Mark BOM
```

```
//  
const units = '\u03bc'; // Greek letter mu, 's'  
  
//  
const output = '\ufe0f' + content;
```

7.2.3

JSDoc

- TypeScript JSDoc */** ... */ // ... /* ... */*
- */** JSDoc */*
 - *//*

JSDoc

JSDoc

JSDoc JavaScript JavaScript

```
/** JSDoc */           /** JSDoc */
```

TypeScript

```
@param @return      implements enum private      @implements @enum @private
@override
TypeScript    @override    @override
```

```
//  
/** @param fooBarService Foo      Bar   */
```

```
@param @return
/**  
 *  POST  
 * @param amountLitres  
 */  
brew(amountLitres: number, logger: Logger) {  
    // ...  
}
```

```
class Foo {  
    constructor(private readonly bar: Bar) { }  
}
```

```
Foo    Bar    bar  
JSDoc  @param
```

```
/**          */  
class ParamProps {  
    /**  
     * @param percolator  
     * @param beans  
     */  
    constructor(  
}
```

(continues on next page)

(continued from previous page)

```
    private readonly percolator: Percolator,
    private readonly beans: CoffeeBean[])
}
```

```
/**          */
class OrdinaryClass {
    /**      brew()      */
    nextBean: CoffeeBean;

    constructor(initialBean: CoffeeBean) {
        this.nextBean = initialBean;
    }
}
```

```
/*      */

//  
new Percolator().brew(/* amountLitres= */ 5);

//      brew
new Percolator().brew({amountLitres: 5});
```

```
/**      {@link CoffeeBrewer} */
export class Percolator implements CoffeeBrewer {
    /**
     *
     * @param amountLitres
     */
    brew(amountLitres: number) {
        //
        // TODO(b/12345):
    }
}
```

@Component JSDoc JSDoc

JSDoc

```
//      JSDoc      @Component      FooComponent
@Component({
    selector: 'foo',
    template: 'bar',
})
/**      "bar"      */
export class FooComponent {}
```

JSDoc

```
/** "bar" */
@Component({
  selector: 'foo',
  template: 'bar',
})
export class FooComponent {}
```

7.3

7.3.1

-
-
- TypeScript public public readonly public

```
class Foo {
  public bar = new Bar(); // public

  constructor(public readonly baz: Baz) {} // readonly baz public
}
```

```
class Foo {
  bar = new Bar(); // public

  constructor(public baz: Baz) {} // public
}
```

7.3.2

```
//  
const x = new Foo;  
  
//  
const x = new Foo();
```

ES2015

```
//  
class UnnecessaryConstructor {  
  constructor() {}  
}
```

```
//  
class UnnecessaryConstructorOverride extends Base {  
    constructor(value: number) {  
        super(value);  
    }  
}
```

```
//  
class DefaultConstructor {}  
  
//  
class ParameterProperties {  
    constructor(private myService) {}  
}  
  
//  
class ParameterDecorators {  
    constructor(@SideEffectDecorator myService) {}  
}  
  
//  
class NoInstantiation {  
    private constructor() {}  
}
```

7.3.3

#private

#private

```
//  
class Clazz {  
    #ident = 1;  
}
```

TypeScript

```
//  
class Clazz {  
    private ident = 1;  
}
```

TypeScript
ES2015

TypeScript

JavaScript

ES2015

TypeScript

readonly

readonly

TypeScript

```
//  
class Foo {  
    private readonly barService: BarService;  
  
    constructor(barService: BarService) {  
        this.barService = barService;  
    }  
}
```

```
//  
class Foo {  
    constructor(private readonly barService: BarService) {}  
}
```

JSDoc @param

```
//  
class Foo {  
    private readonly userList: string[];  
    constructor() {  
        this.userList = [];  
    }  
}
```

```
//  
class Foo {  
    private readonly userList: string[] = [];  
}
```

template	AngularJS	controller	private
public		protected	Angular Polymer
TypeScript		obj['foo']	
private			
obj['foo'] TypeScript			

```
class Foo {
    constructor(private readonly someService: SomeService) {}

    get someMember(): string {
        return this.someService.someVariable;
    }

    set someMember(newValue: string) {
        this.someService.someVariable = newValue;
    }
}
```

```
internal wrapped
public      readonly
```

```
class Foo {
    private wrappedBar = '';
    get bar() {
        return this.wrappedBar || 'bar';
    }

    set bar(wrapped: string) {
        this.wrappedBar = wrapped.trim();
    }
}
```

```
class Bar {
    private barInternal = '';
    //          bar   public
    get bar() {
        return this.barInternal;
    }

    set bar(value: string) {
        this.barInternal = value;
    }
}
```

7.3.4

TypeScript	String Boolean Number	new Boolean(false)	true
------------	-----------------------	--------------------	------

```
//
const s = new String('hello');
const b = new Boolean(false);
const n = new Number(5);
```

```
//
const s = 'hello';
const b = false;
const n = 5;
```

7.3.5

TypeScript Array() new

```
//  
const a = new Array(2); // 2 [undefined, undefined]  
const b = new Array(2, 3); // 2, 3 [2, 3]
```

from

```
const a = [2];  
const b = [2, 3];  
  
// Array(2)  
const c = [];  
c.length = 2;  
  
// [0, 0, 0, 0, 0]  
Array.from<number>({length: 5}).fill(0);
```

7.3.6

TypeScript String() Boolean() new !!

```
const bool = Boolean(false);  
const str = String(aNumber);  
const bool2 = !!str;  
const str2 = `result: ${bool2}`;
```

string

Number() NaN

Tip: Number('') Number(' ') Number('\t') 0 NaN Number('Infinity') Number('-Infinity')
Infinity -Infinity

```
const aNumber = Number('123');  
if (isNaN(aNumber)) throw new Error(...); // NaN  
assertFinite(aNumber, ...); //
```

+ +

```
//  
const x = +y;
```

parseInt parseFloat 12 dwarves 12

```
const n = parseInt(someString, 10); //  
const f = parseFloat(someString); //
```

parseInt

```
if (!/^[\a-zA-Z0-9]+$/ .test(someString)) throw new Error(...);
//    16
// tslint:disable-next-line:ban
const n = parseInt(someString, 16); //          parseInt
```

Number() Math.floor Math.trunc

```
let f = Number(someString);
if (isNaN(f)) handleError();
f = Math.floor(f);
```

if for while boolean

```
//  
const foo: MyInterface|null = ...;  
if (!!foo) {...}  
while (!!foo) {...}
```

```
//  
const foo: MyInterface|null = ...;  
if (foo) {...}  
while (foo) {...}
```

```
// 0
if (arr.length > 0) {...}

//  
if (arr.length) {...}
```

7.3.7

const let const var

```
const foo = otherValue; // foo const
let bar = someValue; // bar let
```

const let var JavaScript bug TypeScript var

```
//  
var foo = someValue;
```

7.3.8

new Error() Error() new

```
//  
throw new Error('Foo is not a valid bar.');
```

(continues on next page)

(continued from previous page)

```
//  
throw Error('Foo is not a valid bar.');
```

7.3.9

```
for (... in ...)           for (... in ...)
```

```
//  
for (const x in someObj) {  
    // x      someObj  
}
```

```
if           for (... of Object.keys(...))
```

```
//  
for (const x in someObj) {  
    if (!someObj.hasOwnProperty(x)) continue;  
    // x      someObj  
}
```

```
//  
for (const x of Object.keys(someObj)) { //      for _of_  
    // x      someObj  
}
```

```
//  
for (const [key, value] of Object.entries(someObj)) { //      for _of_  
    // key      someObj  
}
```

7.3.10

```
for (... in ...)           string
```

```
//  
for (const x in someArray) {  
    // x      ( string )  
}
```

```
for (... of someArr)      for
```

```
//  
for (const x of someArr) {  
    // x  
}
```

```
//  
for (let i = 0; i < someArr.length; i++) {
```

(continues on next page)

(continued from previous page)

```
//           for/of
const x = someArr[i];
// ...
}
```

```
//
for (const [i, x] of someArr.entries()) {
    //
}
```

Array.prototype.forEach

Set.prototype.forEach

Map.prototype.forEach

```
//
someArr.forEach((item, index) => {
    someFn(item, index);
});
```

```
let x: string|null = 'abc';
myArray.forEach(() => { x.charAt(0); });
```

x	null	for-of	.forEach()	() => { x.charAt(0); }
x	null			

7.3.11

[...foo] {...bar}

```
const foo = {
    num: 1,
};

const foo2 = {
    ...foo,
    num: 5,
};

const foo3 = {
    num: 5,
    ...foo,
}

//   foo2  1  5
foo2.num === 5;

//   foo3  5  1
foo3.num === 1;
```

```
null undefined
```

```
//  
const foo = {num: 7};  
const bar = {num: 5, ... (shouldUseFoo && foo)}; // undefined
```

```
// length {0: 'a', 1: 'b', 2: 'c'}  
const fooStrings = ['a', 'b', 'c'];  
const ids = {...fooStrings};
```

```
//  
const foo = shouldUseFoo ? {num: 7} : {};  
const bar = {num: 5, ...foo};  
  
//  
const fooStrings = ['a', 'b', 'c'];  
const ids = [...fooStrings, 'd', 'e'];
```

7.3.12 /

```
//  
for (let i = 0; i < x; i++) {  
    doSomethingWith(i);  
    andSomeMore();  
}  
if (x) {  
    doSomethingWithALongMethodName(x);  
}
```

```
//  
if (x)  
    x.doFoo();  
for (let i = 0; i < x; i++)  
    doSomethingWithALongMethodName(i);
```

if

```
//  
if (x) x.doFoo();
```

7.3.13 switch

```
switch default
```

```
//  
switch (x) {  
    case Y:
```

(continues on next page)

(continued from previous page)

```
    doSomethingElse();
    break;
default:
    //
}
```

```
case ...
```

```
//
switch (x) {
    case X:
        doSomething();
        //
    case Y:
        // ...
}
```

```
//
switch (x) {
    case X:
    case Y:
        doSomething();
        break;
    default: //
}
```

7.3.14

====

!==

JavaScript

JavaScript

```
//
if (foo == 'bar' || baz != bam) {
    //
}
```

```
//
if (foo === 'bar' || baz !== bam) {
    //
}
```

null == != null undefined

```
//
if (foo == null) {
    //   foo null undefined
}
```

7.3.15

```
function foo() { ... }

    const x = function() {...};  TypeScript           const
        this
```

```
//  
function foo() { ... }
```

```
//  
//  
foo = () => 3;  //  
  
//  
const foo = function() { ... }
```

```
function foo() {}           doSomethingWith(function() {});
```

```
interface SearchFunction {
    (source: string, subString: string): boolean;
}

const fooSearch: SearchFunction = (source, subString) => { ... };
```

7.3.16

ES6 function

```
//  
bar(() => { this.doSomething(); })
```

```
//  
bar(function() { ... })
```

this function this this

```
//  
function someFunction() {
    //          => {}
    const receipts = books.map((b: Book) => {
        const receipt = payMoney(b.price);
        recordTransaction(receipt);
```

(continues on next page)

(continued from previous page)

```

        return receipt;
    });

    //

    const longThings = myValues.filter(v => v.length > 1000).map(v => String(v));

    function payMoney(amount: number) {
        //
        this
    }
}

```

```

// { ... }
myPromise.then(v => console.log(v));

```

```

//
myPromise.then(v => {
    console.log(v);
});

//

const transformed = [1, 2, 3].map(v => {
    const intermediate = someComplicatedExpr(v);
    const more = acrossManyLines(intermediate);
    return worthWrapping(more);
});

```

this
this this this

```

//
function clickHandler() {
    // this
    this.textContent = 'Hello';
}

// this       document.body
document.body.onclick = clickHandler;

```

```

//
document.body.onclick = () => { document.body.textContent = 'hello'; };

//

const setTextFn = (e: HTMLElement) => { e.textContent = 'hello'; };
document.body.onclick = setTextFn.bind(null, document.body);

```

```
        this      this
handler = (x) => { this.listener(x); };
        const
        const handler = this.listener;
handler(x);
```

Tip:

```
//  
class DelayHandler {  
    constructor() {  
        //      this  
        //      this  DelayHandler  
        setTimeout(this.patienceTracker, 5000);  
    }  
    private patienceTracker() {  
        this.waitedPatiently = true;  
    }  
}
```

```
//  
class DelayHandler {  
    constructor() {  
        //      this  
        //      this  
        setTimeout(this.patienceTracker, 5000);  
    }  
    private patienceTracker = () => {  
        this.waitedPatiently = true;  
    }  
}
```

```
//      this
class DelayHandler {  
    constructor() {  
        //  
        setTimeout(() => {  
            this.patienceTracker();  
        }, 5000);  
    }  
    private patienceTracker() {  
        this.waitedPatiently = true;  
    }  
}
```

this

```
//  
class Component {
```

(continues on next page)

(continued from previous page)

```

onAttached() {
    //
    this.addEventListener('click', () => {
        this.listener();
    });
    // this.listener
    window.addEventListener('onbeforeunload', this.listener);
}
onDetached() {
    //
    window      this.listener
    // this      this
    window.removeEventListener('onbeforeunload', this.listener);
}
// this
private listener = () => {
    confirm('Do you want to exit the page?');
}
}

```

bind

```

// bind
class Component {
    onAttached() {
        //
        window.addEventListener('onbeforeunload', this.listener.bind(this));
    }
    onDetached() {
        // bind
        window.removeEventListener('onbeforeunload', this.listener.bind(this));
    }
    private listener() {
        confirm('Do you want to exit the page?');
    }
}

```

7.3.17

ASI	Bug	ASI	clang-format
-----	-----	-----	--------------

7.3.18 @ts-ignore

<code>@ts-ignore</code>	“ ”		
<code>@ts-ignore</code>	<i>any</i>	<i>any</i>	

7.3.19

x as SomeType	y!
---------------	----

```
//  
(x as Foo).foo();  
  
y!.bar();
```

```
//  
  
//      Foo  
if (x instanceof Foo) {  
    x.foo();  
}  
  
if (y) {  
    y.bar();  
}
```

```
//  
  
// x      Foo      ....  
(x as Foo).foo();  
  
// y      null     ....  
y!.bar();
```

as

```
//  
const x = (<Foo>z).length;  
const y = <Foo>z.length;
```

```
//  
const x = (z as Foo).length;
```

: Foo as Foo

Bug

```
interface Foo {  
  bar: number;  
  baz?: string; //      "bam"      "baz"  
}  
  
const foo = {
```

(continues on next page)

(continued from previous page)

```
    bar: 123,
    bam: 'abc', //
} as Foo;

function func() {
    return {
        bar: 123,
        bam: 'abc', //
    } as Foo;
}
```

7.3.20

```
;
```

```
//
interface Foo {
    memberA: string;
    memberB: number;
}
```

```
,
```

```
//
interface Foo {
    memberA: string,
    memberB: number,
}
```

```
,
```

```
//
type SomeTypeAlias = {
    memberA: string,
    memberB: number,
};

let someProperty: {memberC: string, memberD: number};
```

```
//
//
console.log(x['someField']);
console.log(x.someField);
```

```
//  
declare interface ServerInfoJson {  
    appVersion: string;  
    user: UserJson;  
}  
const data = JSON.parse(serverResponse) as ServerInfoJson;  
console.log(data.appVersion); //
```

```
//  
import {method1, method2} from 'utils';  
class A {  
    readonly utils = {method1, method2};  
}
```

```
//  
import * as utils from 'utils';  
class A {  
    readonly utils = utils;  
}
```

Web

7.3.21

enum	const enum	TypeScript	const enum
------	------------	------------	------------

JavaScript

7.3.22 debugger

debugger

```
//  
function debugMe() {  
    debugger;  
}
```

7.3.23

@ MyDecorator

- Angular @Component @NgModule
- Polymer @property

```
/** JSDoc      */
@Component({...})  //
class MyComp {
  @Input() myField: string;  // ....
  @Input()
  myOtherField: string;  // ....
}
```

7.4

7.4.1

TypeScript . . . root/path/to/file

```
./foo                        path/to/foo
../../../../
```

```
import {Symbol1} from 'google3/path/from/root';
import {Symbol2} from '../parent/file';
import {Symbol3} from './sibling';
```

TypeScript namespace module

```
TypeScript                    ES6                        import {foo} from 'bar'
namespace Foo { ... }
require        import x = require('...');            ES6
```

```
//
namespace Rocket {
  function launch() { ... }
}

//      <reference>
/// <reference path="..." />

//      require()
import x = require('mydep');
```

Tip: TypeScript module module Foo { ... } ES6

7.4.2

```
// Use named exports:  
export class Foo { ... }
```

```
//  
export default class Foo { ... }
```

```
//  
import Foo from './bar'; //  
import Bar from './bar'; //
```

foo.ts

```
//  
const foo = 'blah';  
export default foo;
```

bar.ts

```
//  
import {fizz} from './foo';
```

error TS2614: Module './foo' has no exported member 'fizz' bar.ts

```
//      fizz  
import fizz from './foo';
```

fizz === foo

```
//  
export default class Foo {  
    static SOME_CONSTANT = ...  
    static someHelpfulFunction() { ... }  
    ...  
}
```

—— Foo

```
//  
export const SOME_CONSTANT = ...  
export function someHelpfulFunction()  
export class Foo {  
    // Foo  
}
```

TypeScript

API

```
export let
```

```
//  
export let foo = 3;  
// ES6      foo      foo  
// TypeScript      foo  
window.setTimeout(() => {  
    foo = 4;  
}, 1000 /* ms */);
```

```
//  
let foo = 3;  
window.setTimeout(() => {  
    foo = 4;  
}, 1000 /* ms */);  
//  
export function getFoo() { return foo; };
```

```
function pickApi() {  
    if (useOtherApi()) return OtherApi;  
    return RegularApi;  
}  
export const SomeApi = pickApi();
```

```
//  
export class Container {  
    static FOO = 1;  
    static bar() { return 1; }  
}
```

```
//  
export const FOO = 1;  
export function bar() { return 1; }
```

7.4.3

ES6 TypeScript

	import * as foo from '...';	TypeScript
	import {SomeThing} from '...';	TypeScript
	import SomeThing from '...';	
	import '...';	

```
//  
import * as ng from '@angular/core';  
import {Foo} from './foo';  
  
//  
import Button from 'Button';  
  
//  
import 'jasmine';  
import '@polymer/paper-button';
```

*
API

Jasmine describe it

```
//  
import {TableViewItem, TableViewHeader, TableViewRow, TableViewModel,  
TableViewRenderer} from './tableview';  
let item: TableViewItem = ...;
```

```
//  
import * as tableview from './tableview';  
let item: tableview.Item = ...;
```

```
import * as testing from './testing';  
  
//  
//  
//
```

(continues on next page)

(continued from previous page)

```
testing.describe('foo', () => {
  testing.it('bar', () => {
    testing.expect(...);
    testing.expect(...);
  });
});
```

```
//  
import {describe, it, expect} from './testing';  
  
describe('foo', () => {  
  it('bar', () => {  
    expect(...);  
    expect(...);  
  });  
});  
...  
...
```

```
import {SomeThing as SomeOtherThing}
```

- 1.
- 2.
3. RxJS from observableFrom

```
import type export type  
  
import type ... from export type ... from
```

Tip: export type Foo = ...;

```
//  
import type {Foo} from './foo';  
export type {Bar} from './bar';
```

```
//  
import {Foo} from './foo';  
export {Bar} from './bar';
```

TypeScript	import type import	import type import	API API
	import '...'		import type import
	export type	import type	export type
	UserService	AjaxUserService	

7.4.4

products checkout backend views models controllers

7.5

7.5.1

TypeScript google3 any

```
const x = 15; // x .
```

string number boolean RegExp new

```
//      boolean
const x: boolean = true;
```

```
//      Set
const x: Set<string> = new Set();
```

```
//      TypeScript
const x = new Set<string>();
```

TypeScript

-
-

7.5.2 Null Undefined

TypeScript null undefined string | null undefined null undefined

TypeScript undefined null JavaScript API undefined Map.get DOM
Google API null Element.getAttribute null undefined

/

```
|null |undefined
|null |undefined
```

```
//           undefined
type CoffeeResponse = Latte|Americano|undefined;

class CoffeeService {
    getLatte(): CoffeeResponse { ... };
}
```

```
//           undefined
type CoffeeResponse = Latte|Americano;

class CoffeeService {
    getLatte(): CoffeeResponse|undefined { ... };
}
```

```
//
type CoffeeResponse = Latte|Americano;

class CoffeeService {
    getLatte(): CoffeeResponse {
        return assert(fetchResponse(), 'Coffee maker is broken, file a ticket');
    };
}
```

undefined

TypeScript ?

```
interface CoffeeOrder {
    sugarCubes: number;
    milk?: Whole|LowFat|HalfHalf;
}

function pourCoffee(volume?: Milliliter) { ... }
```

undefined	{sugarCubes: 1}	CoffeeOrder	milk
		undefined	

```
class MyClass {
    field = '';
}
```

7.5.3

TypeScript

Mock

```
//  
const foo: Foo = {  
    a: 123,  
    b: 'abc',  
}
```

```
//  
const badFoo = {  
    a: 123,  
    b: 'abc',  
}
```

```
badFoo          badFoo  
badFoo      Foo  
  
interface Animal {  
    sound: string;  
    name: string;  
}  
  
function makeSound(animal: Animal) {}  
  
/**  
 * 'cat'      '{sound: string}'  
 */  
const cat = {  
    sound: 'meow',  
};  
  
/**  
 * 'cat'  
 *  TypeScript  
 *      'cat'  
 */  
makeSound(cat);  
  
/**  
 * Horse  
 *      'horse'      'Animal'  
 */  
const horse: Animal = {  
    sound: 'niegh',  
};  
  
const dog: Animal = {  
    sound: 'bark',  
    name: 'MrPickles',  
};  
  
makeSound(dog);  
makeSound(horse);
```

7.5.4

TypeScript

```
//  
interface User {  
    firstName: string;  
    lastName: string;  
}
```

```
//  
type User = {  
    firstName: string,  
    lastName: string,  
}
```

TypeScript “ ”

7.5.5 Array<T>

```
.        T[]        Array<T>  
            Array<T>  
readonly T[]    ReadonlyArray<T>
```

```
//  
const a: string[];  
const b: readonly string[];  
const c: ns.MyObj[];  
const d: Array<string|number>;  
const e: ReadonlyArray<string|number>;
```

```
//  
const f: Array<string>;                //  
const g: ReadonlyArray<string>;  
const h: {n: number, s: string}[]; //  
const i: (string|number)[];  
const j: readonly (string|number)[];
```

7.5.6 {[key: string]: number}

JavaScript “ ” “ ” “ ”

```
const fileSizes: {[fileName: string]: number} = {};  
fileSizes['readme.txt'] = 541;
```

TypeScript

```
//  
const users: {[key: string]: number} = ...;
```

```
//  
const users: {[userName: string]: number} = ...;
```

TypeScript	ES6	Map	Set	JavaScript	ES6	Map
Set	string					

TypeScript Record<Keys, ValueType>

7.5.7

TypeScript	TypeScript	Record	Partial	Readonly
TypeScript				

-
- TypeScript
- /
- IDE “ ” “ ” Pick<T, Keys>

TypeScript Pick<T, Keys> T

```
interface User {  
    shoeSize: number;  
    favoriteIcecream: string;  
    favoriteChocolate: string;  
}  
  
// FoodPreferences    favoriteIcecream    favoriteChocolate    shoeSize  
type FoodPreferences = Pick<User, 'favoriteIcecream'|'favoriteChocolate'>;
```

FoodPreferences

```
interface FoodPreferences {  
    favoriteIcecream: string;  
    favoriteChocolate: string;  
}
```

User FoodPreferences User FoodPrefences

```
interface FoodPreferences { /* */ }  
  
interface User extends FoodPreferences {  
    shoeSize: number;
```

(continues on next page)

(continued from previous page)

```
// User FoodPreferences
}
```

IDE

7.5.8 any

TypeScript any any — “ ”

- any any
- unknown any
- Lint any

```
// JSON
declare interface MyUserJson {
    name: string;
    email: string;
}

// type MyType = number|string;

// function getTwoThings(): {something: number, other: string} {
//     ...
//     return {something, other};
}

// any
// "
// function nicestElement<T>(items: T[]): T {
//     // items
//     // T <T extends HTMLElement>
// }
```

unknown any
any “ ” unknown unknown any

```
// null undefined val
```

(continues on next page)

(continued from previous page)

```
//  
const val: unknown = value;
```

```
//  
const danger: any = value /* */;  
danger.whoops(); //
```

Lint any

any Mock Lint any

```
//      BookService  
//      Mock  
// tslint:disable-next-line:no-any  
const mockBookService = ({get() { return mockBook; }} as any) as BookService;  
//  
// tslint:disable-next-line:no-any  
const component = new MyComponent(mockBookService, /* unused ShoppingCart */ null as  
any);
```

7.5.9

Pair

```
//  
interface Pair {  
    first: string;  
    second: string;  
}  
  
function splitInHalf(input: string): Pair {  
    // ...  
    return {first: x, second: y};  
}
```

```
//  
function splitInHalf(input: string): [string, string] {  
    // ...  
    return [x, y];  
}  
  
// :  
const [leftHalf, rightHalf] = splitInHalf('my string');
```

```
function splitHostPort(address: string): {host: string, port: number} {  
    // ...
```

(continues on next page)

(continued from previous page)

```
}
```

// :

```
const address = splitHostPort(userAddress);
use(address.port);
```

//

```
const {host, port} = splitHostPort(userAddress);
```

7.5.10

JavaScript

- String Boolean Number string boolean number
- Object {} object {} “ null undefined ” object
“ ” “ ” symbol bigint

7.5.11

API API

7.6

7.6.1

“ ”

1.

- any
- TypeScript
- .
- .
- private

2.

JavaScript

-
- `x as T <T>x`
- `Array<[number, number]> [number, number] []`

3.

TypeScript

-
- Clousure TS
-
- google3

4.

Bug